

GENERAL INDEX.

INDEX.

- ACANTHIA LECTULARIA, 157.
Acoloides howardsi, 91.
 saitidis, 90.
Acridium americanum, 85.
Agraulis vanillæ, 85.
Agrilus fulgens, 89.
Air thermometer for high temperatures, 165.
Amblycorypha, 98, 104, 106, 107.
 oblougifolia, 104.
 rotundifolia, 105.
 scudleri, 152.
 uhleri, 106.
Analytical and quaternion treatments, 20.
Anaxiphus pulicarius, 118.
Anderson, Indiana, ancient earthworks
 near, 51.
Aphidius obscuripes, 89.
 pallidus, 89.
Aphis mali, 90.
 ribes, 90.
Aphodius fossor, 84.
Archæological map making, 55.
Argynnis diana, 85.
Arthur, J. C., 25, 46, 50.
Ateleopterus tarsalis, 91.
Auxanometer, 46.
BAKER, P. S., determination of valences,
 169.
Bibliography of Locustidæ, 94.
Biological survey of Indiana, 48.
Birds of western Texas and southern New
 Mexico, 61.
Blatchley, W. S., 92, 153, 165.
Blatta americana, 157.
 flavocincta, 161.
 germanica, 162.
 orientalis, 156.
 pennsylvanica, 158.
Blattidæ of Indiana, 153.
 Synopsis of genera of, 155.
Blissus leucopterus, 86.
Bœtomus sp., 91.
Bolley, H. L., 50.
Botanical field work in Idaho, 35.
Bracon sp., 89.
 agrilli, 89.
 diastatæ, 89.
 phycidis, 89.
Brannon, M. A., 35.
Bray, W. L., 48.
British Columbia glaciers, 29.
Bruchus exiguus, 91.
Butler, A. W., 50, 55, 62.
By-Laws, 8.
CACTACEÆ, epidermis and spines of, 42.
Cactus, the genus, 45.
Cacus œcanthi, 91.
Campbell, J. L., President's address, 15.
Catolæcus tylodermæ, 91.
Cecidomyidæ, 124.
Ceuthophilus, 140.
 brevipes, 148.
 divergens, 153.
 ensifer, 153.
 lapidicolus, 142, 144, 147.
 latens, 143.
 latisulcus, 146.
 maculatus, 142, 147.
 niger, 153.
 stygius, 148.
 uhleri, 144.
Chlorine, determination of in natural
 waters, 169.
Cicada canicularis, 117.
 septendecim, 86, 87
Clinton limestone, 28.
Clisiocampa disstri, 90.
Cockroaches of Indiana, 153.
Cockroach, American, 157.
 German, 162.
 Oriental, 156.
 Pennsylvania, 158.
 Short-winged, 161.

- Committees, 5.
 Conocephalinae, 96, III.
 Key to genera of, 112.
 Conocephalus, 113.
 crepitans, 118.
 ensiger, 114, 117, 118.
 nebrascensis, 115.
 palustris, 118, 125, 129.
 robustus, 116, 118.
 Constitution, 7.
 Coulter, J. M., 41.
 Coulter, Stanley, 41, 49, 50.
 Craig, O. J., 55.
 Crambus zeellus, 90.
 Crickets, camel, 92, 140.
 blacksided, 143.
 Crossbill, range of in Ohio valley, 62.
 American, 62.
 white winged, 69.
 Croton bug, 162.
 Cubberly, E. P., 27.
 Cursoria, 154.
 Cymatogaster, early stages in, 58.
 Cyrtophyllus, 109.
 concurvus, 108, 109.
 perspicillatus, 110, 152.
- DAIHINIA, 92.
 Dectioidinae, 96, 149.
 Decticus dorsalis, 151.
 pachymerus, 150.
 Diastata n. sp., 89.
 Diaretus americanus, 90.
 brunniventris, 90.
 websteri, 90.
 Dickson, Clinton, see W. E. Stone.
 Dimeris rufipes, 89.
 Diplosis tritici, 92.
 Doryphora, 10—lineata, 84.
 Dynastes titus, 86.
- EARTHWORKS. ancient, near Anderson,
 Ind., 30.
 Ectobia, 155, 161.
 flavocincta, 161.
 germanica, 162.
 lithophilia, 158.
 Eigenmann, C. H., 29, 56, 58, 81.
 Electrical oxidation of glycerine, 165.
 Encyrtus brunnipennis, 91.
 clisiocampae, 90.
 tarsalis, 91.
 websteri, 90.
 Eupelmus allyni, 91.
 Evermann, B. W., 29, 56, 73, 78.
 Evidences of man's early existence in Indi-
 ana, 49.
- Explorations in Western Canada, .
 Extraction of xylan from straw, 168.
- FESSENDEN, R. A., 25, 26.
 Fisher, E. M., 45.
 Forestry, exhibit of Indiana at Columbian
 Exhibition, 41.
 GALVANOMETER, construction of, 20.
 Glacial erosion, Richmond, 27.
 Glacial jugs, 28.
 Glycerine, electrical oxidation of, 165.
 Glyphina eragrostidis, 90.
 Glypta sp., 91.
 Golden, Katherine E., 37, 46.
 Gordius, 124.
 Goss, W. F. M., 24.
 Grandeau's method, modification of, 166.
 Grasshoppers, cone-headed, 113.
 green, 92, 112.
 shield-backed, 150.
 black-legged, 135.
 black-sided, 125.
 common meadow, 130.
 lance-tailed, 128.
 slender meadow, 114.
 spotted wingless, 142.
 Gray, Thos, 20, 26.
 Grinnellia Americana, 85.
- HADENŒCUS CAVERNARUM, 153.
 Hathaway, A. S., 20.
 Hay, O. P., 62, 72.
 Hay, W. P., 94, 144.
 Herpestomus pluteus, 90.
 Hessler, Robert, 89.
 Homoporus sp., 91.
 Hubbard, J. W., 63.
 Hudson river deposits, 26.
 Humus in soils, 166.
 Huston, H. A. and W. F. McBride, 166.
 Hylesinus trifolii, 84.
 Hymenopterous parasites reared in Indi-
 ana, list of, 89.
 Hypoderus columbae, 92.
- ICHTHYOLOGICAL FEATURES OF THE
 BLACK HILLS, 73.
 Indian camping sites near Brookville, 54.
 Ischnoptera, 155, 158.
 bivittata, 162.
 pennsylvanica, 158.
 unicolor, 160.
- JONES, WALTER. Sulphon-phthalcinus, 166.
 KAKERLAC AMERICANA, 157.
 orientalis, 156.
 Katydid, 92, 97.

- Katydid, broad-winged, 109.
 fork-tailed, 101.
 larger angular-winged, 107.
 narrow-winged, 102.
 oblique-winged, 107.
 oblong leaf-winged, 104.
 round-winged, 105.
 true, 109.
 Uhler's, 106.
- Kindle, E. M., 72.
- LABES HYPHLOCYBÆ, 91.
- Leersia oryzoides*, 126.
Leptysma marginicollis, 118.
 Lilly herbarium, 50.
Limnera flavicincta, 90.
Locusta curvicauda, 99.
 fasciata, 119.
 oblongifolia, 104.
 Locustidæ of Indiana, 92, 97.
 bibliography of, 94.
 synopsis of sub-families of, 96.
- Loxia curvirostra minor*, 62.
 leucoptera, 69.
- Loxotena clemensiana*, 89.
- Lysiphlebus cucurbitaphidis*, 90.
 eragrostaphidis, 90.
 multiarticulatus, 89.
 mysi, 90.
 ribaphidis, 90.
 tritici, 90.
- McBRIDE, W. F. See H. A. Huston.
 McCoy, H. N. See W. E. Stone.
- MacDOUGAL, D. T., 35, 41.
- Map illustrating dividing line between
 insect faunas, 82.
- Marchantia polymorpha*, 41.
- Marsters, V. F., 27, 29.
- Martin, G. W., 49.
- Mathematics in botany, 37.
- Megaspilus niger*, 90.
- Members, 9.
- Meraporus bruchivorus*, 91.
- Microcentrum*, 98, 107.
 affiliatum, 107.
 laurifolium, 107.
 retinervis, 107, 152.
- Modern geographical distribution of in-
 sects of Indiana, 81.
- Moore, Joseph, 26, 27.
- Morse, A. P., 126.
- Mottier, D. M., 41, 48.
- Mount Orizaba, 29.
- Murgantia histrionica*, 86.
- Mysis ribis*, 90.
- NORMAN, W. W., 73, 92.
 Noyes, W. A., —.
- ECANTHUS NIVIUS, 91.
 Officers, 4, 6.
- Orchelimum*, 113, 121, 123, 129.
 bruneri, 139.
 concinnum, 137.
 delicatum, 152.
 glaberrimum, 133.
 gladiator, 138.
 gracile, 120.
 indianense, 137.
 nigripes, 135, 140.
 sylvaticum, 132, 136.
 volantum, 153.
 vulgare, 130, 133.
- Oriole, peculiar death of, 62.
- Orthopelma bimaculatum*, 90.
- PACHYNEURON micans, 90.
- Panchlora viridis*, 154.
- Papilio ajax*, 85.
 eresphontes, 85.
- Parasitic Hymenoptera reared in Indiana,
 partial list of, 80.
- Paroxya atlantica*, 118.
- Pediastrum*, notes on, 49.
- Periplaneta*, 155, 156.
 americana, 157.
 orientalis, 156.
- Phalangopsis lapidicola*, 147.
 maculata, 142.
- Phaneroptera angustifolia*, 102.
 curvicauda, 99, 101, 102.
 septentrionalis, 99.
- Phaneropterina*, 96, 97.
 Key to genera of, 98.
- Phycis indiginella*, 89.
- Phytonomus punctatus*, 81.
- Phyllodromia*, 155, 162.
 germanica, 159, 162.
- Phylloptera laurifolia*, 107.
 oblongifolia, 104, 105.
 rotundifolia, 107.
- Phylloseirtes pulchellus*, 118.
- Platamodes pennsylvanica*, 158.
 unicolor, 160.
- Platygastrer error*, 91.
- Pleas, Elwood, 55.
- Plutella cruciferarum*, 90.
- Polygonum amphibium*, 135, 140.
- Potter, Theodore, 63.
- Preglacial erosion near Richmond, 27.
- President's address, 15.
- Pseudophyllinæ, 96, 109.
- Ptarmigan of the Alleutian islands, 78.

- Pterophylla concava*, 109.
Purdue experimental locomotive, 24.
Pygostotus americanus, 91.
 QUARTZ SUSPENSIONS, 25.
 Quaternion and analytical treatments, 20.
 RAPHIDOPHORA LAPIDICOLA, 142, 147.
 maculata, 142.
 stygius, 148.
 subterranea, 153.
 Redding, T. B., 62, 71.
Rhyssalus loxoteniae, 89.
Rhyssematus, lineaticollis, 89.
 Rotary blowers, 26.
 SALTITIS PULEX, 90.
Salix cordata, 124.
Saltitoria, 92.
 Scovell, J. T., 29, 50, 55.
Scudderia, 98.
 angustifolia, 102.
 curvicauda, 99, 100, 102.
 furcata, 101, 152.
 furculata, 99, 100.
 pistillata, 152.
 Shannon, W. P., 49.
Silvanus surinamensis, 91.
Simulium meridionale, 87.
 pecuarium, 87.
Siphonophora avenae, 90.
 cucurbitaphidis, 90.
 Slick, E. E., 94, 117.
 Snow, Benj. W., 20, 25, 26.
 Soils, humus in, 166.
Solidago rigida, 139.
 Somers, A. N., 29, 35, 51.
 South American cat fishes, 72.
 Spring meeting, 13.
Stagmomantis carolina, 86.
Stenopelmatinae, 96, 140.
 Stone, W. E. and Clinton Dickson, 169.
 Stone, W. E. and H. N. McCoy, 165.
 Stone, W. E. and W. H. Test, Extraction of
 xylan from straw, 168.
 Stoops, H. M., 51, 55.
Stylophyga orientalis, 156.
Sulphon-phthaleins, 166.
 TEMNOPTERYX, 153, 160.
 deropeltiformis, 160.
 Test, F. C., 56.
 Test, W. H., see W. E. Stone.
 Tests of torsional strength, 20.
Tetracha virginica, 86.
ThiofurfuroI, 169.
 Thomas, M. B., 48, 49.
Thyreonotus, 149.
 dorsalis, 151.
 pachymerus, 150.
Toxoptera graminum, 91.
Trypeta gibba, 89.
Tyloderma foreolatum, 91.
 Two-ocean pass, 29.
 UDEOPSYLLA NIGRA, 153.
 Uline, E. B., 42.
 Ulrey, A. B., 63.
 Underwood, L. M., 41, 48, 49.
 United States fish commission steamer Al-
 batross, 56.
 VALENCES, determination of, 169.
 Van der Waal's equation, 25.
 Vegetable and mineral matter from a snow
 storm, 29.
Vernonia fasciculata, 132.
 WALKER, FRANCIS A., 51.
 Webster, F. M., 81.
Wesmælia rileyi, 91.
 Wilkin, John, 26.
 Wright, John S., 41, 50.
 XIPHIDIUM, 113, 119, 121, 123, 130.
 agile, 131, 132.
 attenuatum, 128, 140.
 brevipenne, 121, 123.
 concinnum, 137.
 curtipenne, 122.
 ensiferum, 123.
 fasciatum, 119, 121, 123.
 glaberrimum, 133.
 modestum, 126.
 nemorale, 122.
 nigropleurum, 118, 125.
 saltans, 152.
 scuderi, 128.
 spiuulosum, 136.
 strictum, 127, 129, 134.
 variations in species of, 119,
 121, 129.
 vulgare, 131.
 Xylan, extraction of, from straw, 168.
 Xylose, multirotation of, 169.
 ZELA nigriceps, 90.