

# INSTRUCTIONS FOR CONTRIBUTORS

## Eligibility

### Papers

Indiana Academy of Science members in good standing are eligible to submit papers for publication in the Proceedings. When a paper is signed by two or several authors, all must be members in good standing. Preferably, eligibility should be established before submitting the paper, as such papers are given priority. In any case all authors must be certified by the Treasurer for payment of dues and old reprint bills at the time of the deadline (see below). Papers reaching the editor after the deadline are ineligible. All papers must be accompanied by an abstract in the form specified below, marked "for the editor."

### Abstracts

If the Divisional Chairman puts a paper on his program for the Fall Meeting, the abstract will be printed in the Proceedings regardless of the author's membership status, unless the full paper is published.

*Time and Procedure for Submitting Abstracts:* One typed **original** of each abstract, marked "for the editor," may be submitted to the Divisional Chairman before the meeting or the author may mail it direct to the editor. This should be ready for publication with a minimum of editing, i.e., in the standard abstract form (see a Proceedings abstract) and double spaced; it should not include directions to the chairman regarding time, lantern, etc. The latter information may be added to a copy marked "for the Divisional Chairman" and sent to him. The editor cannot accept carbon copies of abstracts or papers. The length of an abstract should not exceed 200 words. Items A, B, C, E, F, and O apply generally to abstracts as well as papers.

## Deadline at Editorial Office

Whether sent *via* the Divisional Chairman as prescribed, or directly, all material for the Proceedings must reach the editor within 20 days following the Fall Meeting.

## Preparation of Manuscripts

- A. **Refer to current copy of the Proceedings for the accepted style of abstracts and papers, and follow this, especially in literature citations, headings, and footnotes.**
- B. Type on 11 x 8½ inch bond paper with a new ribbon, leaving ample margins. **Double-space everything**, including title, author's name and institutions, footnotes, quotations, legends and literature list. The original will become the printer's copy; if it must be retyped it will be sent back to the author for this.
- C. Footnotes should be kept to an absolute minimum. Necessary footnotes should be numbered consecutively throughout; asterisks are not used. Acknowledgements may be placed only in the introduction or in a footnote. If your abstract must cite literature, use a footnote.
- D. LITERATURE CITATIONS in a paper should not occur in footnotes, but in an **alphabetized** list at the end of the paper, headed "**Literature Cited.**" The highly abbreviated form used by chemists has **not** been adopted for the Proceedings. Follow this model:
  7. DOE, J. B., and R. C. ROE. 1949. New light from old radioactive carbon. Jour. Am. Biological Soc. **34**: 273-305.
- E. Only initial letters of the words in titles, headings, and table headings should be capitalized.
- F. Do not underline anything except scientific names, in headings or elsewhere.
- G. All literature listed, and all tables and illustrations should be **referred to** in the text.
- H. Tables, which are very expensive to print, should be reduced to a minimum. Avoid small tables scattered through the text. Each table should be typed on a separate letter-size sheet.

- I. New authors, especially, are reminded that a scientific paper should summarize the work, not recapitulate it. It must be very much more concise than a university thesis, avoiding all unnecessary material, especially long tables and lists of little interest except to the author.
- J. Major professors are urged to **review** all papers by their graduate students, for both form and content, before they are sent in for publication. Of those based upon university theses, manuscripts carrying a pencilled O. K. and signature by the professor will be given preference over those without such indication of review.
- K. Photographs should be printed on glossy paper, and have good contrast. It is best to mount them trimmed to fit tightly together at the edges, in groups on stiff cardboard with rubber cement. Proportion the group for a full page of the Proceedings, or use the full width of the page ( $4\frac{1}{8}$ " ) and any part of the page's height. Do not mix line drawings and photographs in the same group. Legends should be on a separate letter-size sheet, numbered to correspond.
- L. The originals for line drawings need be no more than twice the diameter desired for the printed figure. The lettering should be very carefully done, and of suitable size to allow for the necessary reduction. Do not submit printed maps when the necessary reduction will efface the narrower lines or render some of the lettering hardly legible; such maps should be redrawn and lettered in adequate size letters, omitting unnecessary details. It is suggested that the total of illustrations and tables not exceed 20 percent of the length of the whole paper.
- M. The summary should be complete and clear in itself, and not over 4 percent of the length of the paper. For very short papers no summary is necessary.
- N. Reprints of papers are paid for by authors, at cost. They are ordered at the time the author returns the corrected galley proof to the editor. Abstracts are not reprinted.
- O. The editor needs, at the time he mails out galleys in March, **current addresses** for all coauthors of all abstracts and papers. Many former graduate students lose the opportunity to order reprints when mail addressed to them is returned for lack of forwarding addresses. It is suggested that the student's permanent home address be written on the reverse side of that abstract copy marked "for the editor."

### Selection of Papers

Every year a few more papers are submitted than can be published with the available funds. Therefore, not all papers received can be included in the Proceedings. Manuscripts prepared concisely, in the style recommended above, will receive first consideration. Authors should not expect to publish very long papers in the Proceedings. Among papers of primarily regional interest, e.g., in certain aspects of botany, zoology, geology, geography, and anthropology, those dealing with Indiana material will be accorded preference.

The selection of papers for the Proceedings is the responsibility of the Editorial Committee.

## INDEX

- Acculturation, accelerated, of the Mayan Indians of Guatemala, 67.  
Addoh, P. G., 84.  
Adrenal cortical accessory tissue and azo dye carcinogenesis, 374.  
Agricultural labour force of the corn belt, regional contrasts in the characteristics of, 219.  
Algae of Putnam County, Indiana, 293.  
Algae of the Cabin Creek raised bog, Randolph County, Indiana, 298.  
Amstutz, D. W., 187.  
Angel Site, the identification of a sample of unmodified faunal remains from the, 53.  
Annonaceae, developmental anatomy of the seedlings of, 86.  
Anthropology division, 52.  
Antibacterial activity, reversal of the, of simple and complex sulfonamides by p-Aminobenzoic acid, 78.  
Antibiotics—past, present and future, 248.  
Arthur herbarium at Purdue University, history of, 228.  
*Astrephomene*, the ultrastructure of, 85.  
Atomic beam, a gaseous light source, 275.  
Azo dye carcinogenesis, adrenal cortical accessory tissue and, 374.  
  
Bacteriology division, 71.  
Baker, P. C., 292.  
Baldinger, L. H., 6, 7, 10, 11, 20, 46.  
Barley-resistance to corn leaf aphid, 138.  
Barton, T. F., 150.  
Bats, local movements of some Indiana, 369.  
Baxter, J. W., 83, 228.  
Bell, M., 10.  
Bernard, G. R., 71.  
Beta-gamma directional correlation in EU<sup>154</sup>, 275.  
Bieber, C. L., 163.  
Binder, R. A., 367.  
Biographical sketches of Indiana scientists, II, 258.  
Black, H. T., 6, 276.  
Bloom, W. W., 6, 7, 10.  
Bloomington, Indiana, geographic influence, changes in, 265.  
Bloomington's industrial labor-shed, 196.  
Borden formation at Highbridge, Indiana, 148.  
Borer, tulip tree, 122.  
Bosmia (Crustacea, Cladocera) remains in lake sediments, the identification and significance of, 368.  
Botany division, 82.  
Bowers, E. J., 101.  
Bowers, W. S., 114.  
Brett, W. J., 370.  
Briscoe, H. T., memorial, 36.  
Brock, J. E., 282.  
Burrows and oscillative behavior thereof of *Lumbricus terrestris*, 378.  
  
Cabin Creek raised bog, Randolph County, Indiana, some aspects of the diatom flora, 305.  
Cabin Creek raised bog, vascular plants of, 302.  
*Cabomba caroliniana* back in Indiana, 284.  
Carbohydrate metabolism, humoral regulation of, in the cockroach, *Blaberus craniifer* Burmeister, 114.  
Carlson, K. H., 6, 11.  
Central business district, characteristics of the Terre Haute, 203.  
Chandler, L., 124.  
Chemistry division, 100.  
Cherry trees, oriental, phenology, 84.  
Chick, effect of non-optimally high incubation temperatures on T-maze learning in the, 327.  
Chick weight, effect of environmental stress on, 385.  
Cicada in apple orchards, studies on control of the periodical, 114.  
Cicadas, periodical, *Magicicada* spp., as pests in apple orchards, 116.  
Cladocera remains in surficial sediments of Indiana lakes, horizontal distribution of, 368.  
Clausen, A., 282.  
Coats, N. M., 7, 17.  
College women, an investigation into the physical and cultural basis of personality in, 69.  
Cook, A. G., 100.  
Cooper, E. E., 85.  
Cope, J. B., 292, 369.  
Corn-resistance to corn leaf aphid, 138.  
Costa Rica, vegetation types, 284.  
County records, new, for Fayette and Franklin Counties, Indiana, 292.  
Crop potentials, establishing, for Indiana soil types, 335.  
Crop potentials, increasing, through water availability, 347.  
Cucumber beetles, attractiveness of various cucurbit varieties to, 114.  
Cucurbit varieties to cucumber beetles, attractiveness of various, 114.  
Culbertson, C. G., 73.  
*Culex territans* Walker, occurrence of, in Indiana, 115.  
Cyclic changes, long term, in the temperature of man, 370.

- Cytochemical changes induced in replicating Trachoma virus by metabolic analogues, 71.
- Daily, F. K., 271.
- Daily, W. A., 7, 18, 298.
- Damping-off of alfalfa, the identity and control of fungi associated with, 84.
- Davis, R. E., 105, 109.
- Day, H. G., 6, 21.
- Decker, R. D., 83.
- deLanglade, R. A., 285.
- DeLanney, L. E., 6, 7, 10, 21, 367.
- DePauw University, a century of botany and botanists at, 242.
- DePauw University Herbarium, the, 239.
- Dental caries of pre-historic and historic Indian groups, the incidence of, 57.
- DenUyl, D., memorial, 37.
- Desrosier, N. W., 341.
- Diatom flora, some aspects of the, of Cabin Creek raised bog, Randolph County, Indiana, 305.
- Dineen, C. F., 367.
- Dipole transition in a Lorentz-Lorenz field, the oscillator strength of a, 109.
- Dishner, G. H., 138.
- Doll, J. P., 71.
- Dose-response relationships of X-irradiated and conventional mice, 72.
- Douglas, C. F., 361.
- Dudley, R. F., 361.
- Dunn, M. G., 282.
- Earthworm resistance in sweet corn, 146.
- East Chicago, Indiana, 169.
- Eberly, W., 8, 21.
- Edgington, W. E., 7, 20, 30, 258.
- Eggs, embryonated duck, experimental use in dogs of rabies vaccine prepared in, 73.
- Eidson, W. W., 276.
- Energy balance, some observations on, in *Dolichonyx oryzivorus* during premigratory fat deposition, 369.
- Environmental stress on chick weight, effect of, 385.
- Eudorina* from Indiana, an analysis of sexual compatibility in, 85.
- Everly, R. T., 138, 142.
- Eversole, W. J., 374.
- Expeditions, some scientific, to the southeastern United States by David Starr Jordan, 271.
- Fascicled ear corn, a preliminary investigation of the origin of branches in, 86.
- Faunal remains from the Angel Site, the identification of unmodified, 53.
- Fordyce, Jr., C., 91.
- Francis, Sister M. C., 71.
- Froning, H. B., memorial, 39.
- Fullerton, W. J., 8.
- Gall specificity in relation to *Synchytrium*, 82.
- Galloway, H. M., 335.
- Gamma radiation from Ne<sup>20</sup>, 276.
- Gas storage, underground, in Indiana, recent developments, 166.
- Geographic influences, changes in Bloomington, 265.
- Geology and Geography division, 148.
- Germination, attempts at, of teliospores of *Puccinia coronata* var. *avenae*, 96.
- Giese, R. L., 122.
- Gifford, C. E., 369.
- Girton, R. E., 85.
- Glycine max*, shoot development in, 83.
- Goldstein, M. E., 85.
- Gorham, E. D., 276.
- Gossett, F. O., 73.
- Gould, G. E., 114.
- Goulden, C. E., 368.
- Great Slave Lake area, botanical investigation in the, 82.
- Green, Jr., R. J., 91.
- Greene-Nieuwland herbarium at the University of Notre Dame, 235.
- Gries, G. A., 96.
- Grollig, S. J., F. X., 67.
- Guernsey, L., 203.
- Gunther, W. C., 327, 385.
- Hall, C. R., 293.
- Hamilton, D. W., 116.
- Hamon, J. H., 367, 369.
- Harmon, N. P., 378.
- Hart, John Fraser, 210.
- Hayat, M. A., 86.
- Heiser, Jr., C. B., 226.
- Hendricks County, evidence of the mastodon in, 407.
- Hennen, J. F., 6, 82.
- Herbarium, Arthur, at Purdue University, history of, 228.
- Herbarium, Greene-Nieuwland, at the University of Notre Dame, 235.
- Herbarium, Purdue University, 233.
- Herrala, E. A., 57.
- Hershey, S. C., 142.
- Hessler, R. H., 86.
- Higgins, J., 276.
- History of Science division, 226.
- Hodges, H. F., 361.
- Hog-nosed snakes (*Heterodon platyrhinos*), defensive actions of newly-hatched, 369.
- Holmstedt, R. W., 20.
- Hoot Woods, a remnant of virgin timber, Owen County, Indiana, 320.
- Hopp, W. B., 7, 9, 10, 17, 369.
- Hsu, L. W. T., 83.
- Hunger, the edge of, 341.
- Hydrolysis of iron in methanol solutions, the, 101.
- Hyphomycetes, aquatic, from Wyoming and Indiana, 83.

- Iminium salts, the reaction of, with dichlorocarbenes, 100.  
 Incidence of dental caries of pre-historic and historic Indian groups, the, 57.  
 Index, 414.  
 Indiana biological reserve, a decade of oldfield succession in an, 285.  
 Indiana Plant Distribution Records, XVIII. 1959-1961, 88.  
 Indiana University, a brief history of the herbarium of, 226.  
 Insects and other arthropods of economic importance in Indiana in 1961, 130.  
 Instructions for contributors, 412.  
 Iron in methanol solutions, the hydrolysis of, 101.  
 Isotope effect, steric effects and the secondary, 105.  
 Jeter, T. R., 277.  
 Johnson, W. H., 8.  
 Jones, R. K., 327, 385.  
 Jordan, David Starr, expeditions to southeastern United States, 271.  
 Joyner, J. W., 378.  
 Junior Academy of Science, 25.  
 Karling, J. S., 82.  
 Keller, J. H., 6, 52.  
 Kern, F. D., 228.  
 Kinship systems, the role of diffusion in changing, 61.  
 Kirch, R. V., 166.  
 Klinge, P., 8, 9, 18.  
 Kornicker, L. S., 369.  
 Krekeler, C., 7.  
 Kriebel herbarium of Purdue University, 233.  
 Labor-shed, Bloomington's industrial, 196.  
 Lang, N. J., 85.  
 Laubengayer, R. A., 6, 7, 11.  
 Laughlin, R., 284.  
 Learning in the chick, effect of non-optimally high incubation temperatures on T-maze, 327.  
 Lefler, R. W., 8.  
 Light trap collections of the nocturnal bee, *Sphecodogastra texana* (Cresson) (Hymenoptera, Halictidae), 124.  
 Lindholm, L., 71.  
 Lindsey, A. A., 84, 284, 285, 330.  
 Long, N. 6.  
*Lumbricus terrestris*, burrows and oscillation behavior therein of, 378.  
 MacFarlane, J. O., 73.  
 Machine literature searching, 275.  
 Mallett, G., 6.  
 Man, how old is?, 149.  
 Man, long term cyclic changes in the temperature of, 370.  
 Manganese deficiency related to age in soy beans, effects of, 85.  
 Manning, A. W., 277.  
 Manufactural geography of East Chicago-Whiting, Indiana, 169.  
 Markle, C. A., 7, 12.  
 Marshall, G. E., 114.  
 Mastodon, evidence of, in Hendricks County, 407.  
 Mayan Indians, Guatemala, 67.  
 McClung, L. S., 7, 17.  
 McCoy, S., 7.  
 McGregor, D., 6, 148.  
 McGuire, J. M., 248.  
 McIntosh, R. P., 235.  
 McManus, M. L., 114.  
 Memorials  
     Briscoe, H. T., 36.  
     DenUyl, D., 37.  
     Froning, H. B., 39.  
     Molter, J. A., 41.  
     Reed, H. J., 42.  
     Stork, M. L., 44.  
 McWhinney, J. A., 284.  
 Meyer, A. H., 169.  
 Michaud, H. H., 7, 8, 18, 19.  
 Micro-climate, maximizing the use of, 334.  
 Mimosa webworm in Indiana, the life history of the, 114.  
 Mitotic activity and melangeneses in the RPMI HA No. 5(7113) Strain melano, 71.  
 Molter, J. A., memorial, 41.  
 Montgomery, B. E., 115.  
 Movement of limestone blocks by floodwaters in southern Putnam County, Indiana, 163.  
 Mueller, J. A., 367.  
 Mueller, W. P., 368.  
 Necrology, 36.  
 Nectars, composition of, 115.  
 Nelson, O. E., 86.  
 Neumann, H. W., 53.  
 Neutron flux by a paraffin oil bath technique, a method for measuring, 277.  
 New members, 22.  
 Newman, J. E., 334.  
 Nitrogen, response of wheat on Indiana soils, 361.  
 Oak wilt, aerial survey for and control of, in Indiana, 91.  
 Oldfield succession in an Indiana biological reserve, a decade of, 285.  
 Oscillator strength of a dipole transition in a Lorentz-Lorenz field, 109.  
 Osmun, J. V., 130.  
 Ostracods, effects of environmental factors on populations of, 369.  
 Paetz, D. H., 169.  
 p-Aminobenzoic acid, reversal of the antibacterial activity of simple and complex sulfonamides, 78.

- Paracetic acid to obtain invertebrate eggs for gnotobiotic studies, the use of, 71.
- Paraffin oil bath technique, a method for measuring neutron flow by a, 277.
- Paramacium* by kappa, further studies on the infection of, 367.
- Patrick, D. M., 148.
- Personality in college women, an investigation into the physical and cultural basis of, 69.
- Petty, R. O., 284, 320.
- Phenology, flowering, of oriental cherries, 84.
- Photoperiod of Guar, 86.
- Physics and mathematics backgrounds of 305 Indiana high school physics teachers, 276.
- Physics division, 275.
- Pion production reactions, peaks in, 276.
- Plant growth promoting substance found in an acorn weevil of the family Curculionidae, 94.
- Plant taxonomy division, 284.
- Pleistocene passeriform avifauna of Red-dick, Florida, 367.
- Poison ivy rust and its allies in North America, 82.
- Pollard, M., 71.
- Polley, J. C., 18.
- Population change in Indiana, 1950-1960, distribution of, 192.
- Population distribution in the middle west in 1950, some components of, 210.
- Postlethwait, S. N., 83, 86.
- Powell, H. M., 73.
- Presidential address, 46.
- Psychology division, 327.
- Puccinia coronata*, attempts at germination of teliospores, 96.
- Pursley, S., 282.
- Putnam County, Indiana, movement of limestone blocks by flood waters in southern, 163.
- Pygmy sunfish, the axial skeleton of the, 367.
- Rabies vaccine, experimental use in dogs of, prepared in embryonated duck eggs, 73.
- Radiation effects—germfree mice, 72.
- Radiation, X-ray, effect on the survival of the corn leaf aphid, 142.
- Raibourn, D. D., 61.
- Recreational triangle, southern Indiana's, 150.
- Reed, H. J., memorial, 42.
- Reeves, J. A., 149.
- Reich, R. J., 82.
- Reimer, C. W., 305.
- Representation in the Indiana legislature, apportionment of, 187.
- Reynolds, A. E., 407.
- Rice, W. J., 7.
- Robbins, L. M., 69.
- Ruttan, V. W., 353.
- Sastry, K. S. R., 275.
- Schafer, J. F., 83, 96.
- Schmuckler, H., 277.
- Schuder, D. L., 122.
- Sexual compatibility in *Eudorina* from Indiana, an analysis of, 85.
- Shanks, M. E., 6.
- Shea, G. J., 148.
- Siverly, R. E., 6, 7, 17, 114, 115.
- Slabaugh, E. T., 52.
- Smucker, A., 6.
- Soil science division, 334.
- Soil types, establishing crop potentials for Indiana, 335.
- Somatotype, a scale for the assessment of the, 52.
- Sparks, P., 86.
- Sphecodogastra texana* (Cresson), light trap collections of the nocturnal bee, 124.
- Stanley, R. W., 275.
- Starks, H., 6, 284, 302.
- Steric effects and the secondary isotope effect, 105.
- Stivers, R. K., 361.
- Stork, M. L., memorial, 44.
- Sulfonamides, reversal of the antibacterial activity by p-Aminobenzoic acid, 78.
- Technological change and resource utilization in American agriculture, 353.
- Terre Haute central business district, characteristics of the, 203.
- Thompson, H. B., 275.
- Thompson, I. B., 219.
- Tiltometer and the dynamical elasticity of the earth's crust, the instrument, 148.
- Trachoma virus by metabolic analogues, cytochemical changes induced in replicating, 71.
- Transducer, a constant voltage supply for a pressure, 282.
- Trexler, P. C., 71.
- Tsuga canadensis* in Indiana, a re-evaluation of the ecologic status of, 284.
- Tukey, R., 6.
- Tulip tree borer, 122.
- Turtle, a study of the box, *Terrepeue carolina carolina*, population in Alle Memorial Woods, 399.
- Ultrastructure of *Astrephomene*, 85.
- Ustilago tritici*, 83.
- Vary, J., 71.
- Vascular plants, notes on, of the Cabin Creek raised bog, 302.
- Vegetation types of Costa Rica, 284.

- Virgin timber, Hoot Woods, a remnant of,  
Owen County, Indiana, 320.
- Visher, S. S., 265.
- Walter, E. V., 146.
- Water availability increasing crop potentials, 347.
- Weaver, Jr., H. D., 101.
- Webster, G. L., 233.
- Weevil, acorn, of the family Curculionidae, a plant growth promoting substance found in, 94.
- Welch, W. H., 239.
- Went, F. W., 20.
- Westing, A. H., 94.
- Wheat by *Ustilago tritici*, differential embryo infection of, 83.
- Wheat, response of, to nitrogen on Indiana soils, 361.
- Whippo, P. D., 192.
- Whiting, Indiana, 169.
- Wiersma, D., 347.
- Williams, Jr., E. C., 399.
- Willig, L. W., 8.
- Wilson, Brother R., 72.
- Wise, C. D., 369.
- Wright, R. D., 196.
- X-ray radiation on the survival of the corn leaf aphid, effect of, 142.
- Young, F. N., 6, 7, 17.
- Yuncker, T. G., 6, 7, 11, 226, 242.
- Zimmer, D. E., 96.
- Zoology division, 367.
- Zygmunt, W. A., 78.