

## MANUSCRIPT REVIEWERS

## VOLUME 107 (1-4)

James H. Bandoli	University of Southern Indiana	Evansville, Indiana
John S. Castrale	Indiana Division of Fish and Wildlife	Mitchell, Indiana
Jerry R. Choate	Fort Hays State University	Hays, Kansas
John E. Ebinger	Eastern Illinois University	Charleston, Illinois
Dale D. Edwards	University of Evansville	Evansville, Indiana
James R. Gammon	DePauw University	Greencastle, Indiana
Michael A. Homoya	Indiana Department of Natural Resources	Indianapolis, Indiana
Robert C. Howe	Indiana State University	Terre Haute, Indiana
Scott A. Johnson	Indiana Department of Natural Resources	Bloomington, Indiana
Daryl R. Karns	Hanover College	Hanover, Indiana
Bruce A. Kingsbury	Indiana-Purdue University Fort Wayne	Fort Wayne, Indiana
Paul C. MacMillan	Hanover College	Hanover, Indiana
Wilton N. Melhorn	Purdue University	West Lafayette, Indiana
Ronald L. Richards	Indiana State Museum	Indianapolis, Indiana
Victor Riemenschneider	Indiana University South Bend	South Bend, Indiana
Paul E. Rothrock	Taylor University	Upland, Indiana
Donald G. Ruch	Ball State University	Muncie, Indiana
Neil B. Sabine	Indiana University East	Richmond, Indiana
Thomas A. Sobat	Bureau of Water Quality	Muncie, Indiana
J. Dan Webster	Hanover College	Hanover, Indiana
Harmon P. Weeks, Jr.	Purdue University	West Lafayette, Indiana
Robert A. Weiss	Chipper Woods Bird Observatory	Indianapolis, Indiana
John O. Whitaker, Jr.	Indiana State University	Terre Haute, Indiana



INDEX  
PROCEEDINGS OF THE INDIANA ACADEMY OF SCIENCE  
VOLUME 107 (1-4)

- Acer*  
*nigrum*, lumped with *Acer saccharum* when analyzing Ginn Woods, 5  
*rubrum*  
failing to regenerate in Ginn Woods, 10  
locally dominant in  
Ginn Woods, 1, 9  
South Woods, 7  
*saccharinum*, locally dominant in  
Ginn Woods, 1, 9  
South Woods, 7  
*saccharum*  
dominant in Ginn Woods, 1, 5, 9, 23  
recruitment in South Woods, 7  
reproduction and replacement in  
Nixon Woods, 8  
North Woods, 5  
roost tree for the Indiana bat (*Myotis sodalis*), 98  
sole dominant in Nixon Woods, 7  
*Acris crepitans* at the Newport Chemical Depot, 109  
*Aesculus glabra*  
subdominant in Ginn Woods, 1  
understory dominant, 8  
*Agelaius phoeniceus*, role of plumage coloration in, 194  
Alix, Mitchell S., 123  
*Alliaria petiolata*, an invasive exotic in Ginn Woods, 17, 31  
Alluvial plain at Ginn Woods, 22  
drainage of, 29  
vegetation of, 29  
Amax Coal Mine, western harvest mouse at, 167  
*Amblema plicata*  
absent from Pigeon Creek, 79, 82  
fish hosts, 83  
intolerant of pollution, 82  
*Ambystoma*  
*jeffersonianum*, 112  
*maculatum*, 112  
*opacum*, 112  
*texanum* at the Newport Chemical Depot, 105, 109  
*tigrinum*, 112  
Ambystomidae at the Newport Chemical Depot, 109  
*Ameiurus*  
*melas*  
at the Newport Chemical Depot, 119  
in Tippecanoe County, 163  
*natalis*  
at the Newport Chemical Depot, 119, 121  
in Buck Creek, 121  
near the Newport Chemical Depot, 118  
American beech, roost tree for the evening bat, 176  
American brook lamprey  
at the Newport Chemical Depot, 115, 118, 121  
in Tippecanoe County, 162  
American Consulting Engineers, Inc., initially responsible for monitoring the bat species at the Indianapolis International Airport, 172  
American eel, 161  
American toad at the Newport Chemical Depot, 105, 109  
*Ammocrypta pellucida*, 161  
absent from Tippecanoe County, 151, 161  
state species of special concern, 115, 151, 161  
Amphibians, checklist for the Newport Chemical Depot, 106  
*Anguilla rostrata*, 161  
*Aplodinotus grunniens* in Tippecanoe County, 162  
*Aquatic Plant Species Diversity and Floristic Quality Assessment of Saugany Lake, Indiana*, 123  
Aquatic vegetation, coverage rankings of, 126-127  
*Arcidens confragosus*  
in Pigeon Creek, 79, 82  
only one specimen found, 81  
Arvicolinae at the Newport Chemical Depot, 100-101  
*Asimina triloba*, understory dominant in Ginn Woods, 9  
Badger, 103  
current distribution in Indiana, 147  
distribution in North America, 141  
early distribution in Indiana, 141, 143  
evidence of reproduction, 145  
factors  
decreasing population size, 145  
favoring range expansion, 146, 149  
increasing population size, 145  
home ranges, 146  
new county records, 148  
no longer endangered in Indiana, 146  
population trends, 145  
range expansion in Indiana, 141  
state endangered species, 143  
Badger, Kemuel S., 1, 17  
Barnes, David K., 61

- Bass  
 at the Newport Chemical Depot, 120  
 hybrid striped, 160  
   new county record for Tippecanoe County, 156  
 largemouth, at the Newport Chemical Depot, 115, 120  
 smallmouth, 62  
 spotted, in Tippecanoe County, 160, 164  
 striped  
   habitat requirements, 67  
   history of its spread in the United States, 67  
   hybridizes with the white bass (*Morone chrysops*), 67  
   non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61
- Bat  
 big brown  
   at Prairie Creek, 171  
   at the Indianapolis International Airport, 171  
   at the Newport Chemical Depot, 100  
   dominant bat species at the Indianapolis International Airport, 176  
   population variation in, 174  
 eastern red  
   abundant at the Indianapolis International Airport, 177  
   at Prairie Creek, 171  
   at the Indianapolis International Airport, 171  
 evening  
   at Prairie Creek, 171  
   at the Indianapolis International Airport, 171  
   dominant bat at Prairie Creek, 176  
   population variation in, 174  
   roosts at the Indianapolis International Airport, 176  
   state endangered species, 171, 178  
 hoary  
   at Prairie Creek, 171  
   at the Indianapolis International Airport, 171  
   at the Newport Chemical Depot, 98  
   rare, 177  
 Indiana (also see Indiana myotis)  
   at the Newport Chemical Depot, 91, 92, 95, 97, 98, 103  
   federally endangered species, 91, 92, 97, 98, 103  
   maternity colony, 95  
   roost trees, 98  
 little brown, at the Newport Chemical Depot, 100  
   red, at the Newport Chemical Depot, 98  
   silver-haired  
     at Prairie Creek, 171, 174, 175  
     at the Newport Chemical Depot, 100
- Bats  
 at the Newport Chemical Depot, 92, 103  
   big brown, 100  
   eastern pipistrelle, 100  
   hoary, 98  
   Indiana, 91, 92, 95, 97, 98, 103  
   little brown (also see myotis, little brown), 100  
   northern myotis, 95, 98  
   red, 98  
   silver-haired, 100  
   effect of habitat fragmentation on, 171, 176, 178  
*Bats of the Indianapolis International Airport as Compared to a More Rural Community of Bats at Prairie Creek*, 171  
 Beaver at the Newport Chemical Depot, 101  
 Beech, American, roost tree for the evening bat, 176  
 Bell Coal of Kentucky, 73  
 Benton County, western harvest mouse in, 167  
 Berkley, Kim A., 141  
 Big brown bat  
   at Prairie Creek, 171  
   at the Indianapolis International Airport, 171  
   at the Newport Chemical Depot, 100  
   dominant bat species at the Indianapolis International Airport, 176  
   population variation in, 174  
 Bighead carp, 164  
 Bigmouth shiner, 161, 162  
 Birds, effect of forest fragmentation on, 178  
 Bitternut hickory, roost tree for the evening bat, 176  
 Bivalvia, 79, 85  
 Blackbirds, red-winged, role of plumage coloration in, 194  
 Black buffalo, 161  
 Black bullhead  
   at the Newport Chemical Depot, 119  
   in Tippecanoe County, 163  
 Black king snake, 112  
 Black-nosed (also blacknose) dace  
   at the Newport Chemical Depot, 115, 119  
   in Buck Creek, 122  
 Black racer at the Newport Chemical Depot, 111, 112  
 Black rat snake at the Newport Chemical Depot, 105, 111  
 Blackside darter in Tippecanoe County, 156  
 Blackstripe topminnow in Tippecanoe County, 163  
*Blarina brevicauda* at the Newport Chemical Depot, 97

- Blount  
 Series Soils in Ginn Woods, 3-4, 21  
 Silt Loam in Ginn Woods, 21
- Bluebreast darter  
 in Tippecanoe County, 160-161, 163  
 state endangered species, 164
- Bluegill at the Newport Chemical Depot, 120
- Blue sucker  
 in Tippecanoe County, 162, 164  
 state species of special concern, 164
- Bluffton Till Plain Section, location of Ginn Woods, 3, 18, 21
- Bluntnose minnow  
 at the Newport Chemical Depot, 115, 119, 120  
 common in Tippecanoe County, 162  
 in Buck Creek, 122
- Bobcat, 103
- Brazil Formation, 73  
 Buffaloville Coal in, 73  
 separated from the Mansfield Formation below  
 by the base of the Lower Block Coal, 73
- Bridled madtom, 119
- Broad headed skink at the Newport Chemical  
 Depot, 111
- Brook silverside in Tippecanoe County, 163
- Buck Creek, Vermillion County, fishes of, 121-122
- Buffalo  
 black, 161  
 smallmouth, in Tippecanoe County, 162
- Buffaloville Coal, 73
- Bufo*  
*americanus* at the Newport Chemical Depot,  
 105, 109  
*woodhousii* at the Newport Chemical Depot,  
 105, 110
- Bufoinae at the Newport Chemical Depot, 109
- Bullfrog at the Newport Chemical Depot, 111
- Bullhead  
 black  
 at the Newport Chemical Depot, 119  
 in Tippecanoe County, 163  
 yellow  
 at the Newport Chemical Depot, 119, 121  
 in Buck Creek, 121  
 near the Newport Chemical Depot, 118
- Bullhead minnow in Tippecanoe County, 162, 164
- Burbot, 161
- Campostoma anomalum*  
 at the Newport Chemical Depot, 115, 119  
 common in Tippecanoe County, 162  
 in Buck Creek, 122
- Canidae at the Newport Chemical Depot, 102
- Canis latrans*, 149  
 at the Newport Chemical Depot, 102
- Canopy gaps (also see windfalls) in Ginn Woods,  
 5, 11, 22, 24
- Carassius auratus*, 164  
 one of the first two exotic fishes to become  
 established in Indiana, 62
- Carp  
 bighead, 164  
 common  
 at the Newport Chemical Depot, 119  
 in Buck Creek, 122  
 near the Newport Chemical Depot, 118
- grass, 164  
 established in the Mississippi and Ohio  
 River systems, 62  
 habitat requirements, 62  
 history of its spread in the United States,  
 62-63  
 new exotic species in the Lake Michigan  
 drainage of Indiana, 61
- Carp, one of the first two exotic species to become  
 established in Indiana, 62
- Carphophis amoenus* at the Newport Chemical  
 Depot, 112
- Carpodacus mexicanus*  
 agonistic interactions in, 183  
 covering red plumage results in a change in  
 status, 181  
 effect of  
 juvenile plumage, 193  
 plumage color manipulation on, 181,  
 192-193, 195  
 females distinguish a variety of color types, 194  
 males avoid females during the spring, 192, 193  
 red color as a subordinate badge, 181, 194
- Carroll County, western harvest mouse in, 167
- Carya*  
*cordiformis*, roost tree for the evening bat, 176  
*laciniosa*  
 locally dominant in  
 Ginn Woods, 1, 9  
 South Woods, 7  
*ovata*, subdominant in Ginn Woods, 5
- Caseyville Formation of Kentucky and Illinois is  
 equivalent to the lower Mansfield, 77
- Cass County  
 new county record for the western harvest  
 mouse, 169  
 western harvest mouse in, 167
- Castor canadensis* at the Newport Chemical Depot,  
 101
- Castoridae at the Newport Chemical Depot,  
 101-102
- Catfishes at the Newport Chemical Depot, 115, 119
- Catostomidae at the Newport Chemical Depot,  
 115, 119
- Catostomus commersoni*  
 at the Newport Chemical Depot, 115, 119  
 in Buck Creek, 122

- Celtis occidentalis*, subdominant in Ginn Woods, 1, 5, 9
- Central mudminnow, 162  
new county record for Tippecanoe County, 156  
seed population of, 160
- Central stoneroller  
at the Newport Chemical Depot, 115, 119  
common in Tippecanoe County, 162  
in Buck Creek, 122
- Central Till Plain Natural Region, location of Ginn Woods, 3, 18
- Centrarchidae at the Newport Chemical Depot, 115, 120
- Cervidae at the Newport Chemical Depot, 102
- Chaffinch, role of plumage coloration in, 181-182, 192
- Channel darter, 161, 162
- Channel mimic shiner, 160
- Channel shiner, 160  
new county record for Tippecanoe County, 156
- Charophytes at Saugany Lake, 127, 128, 130
- Checklist  
amphibians at the Newport Chemical Depot, 106  
aquatic vascular plants at Saugany Lake, 134  
charophytes at Saugany Lake, 134  
fishes at the Newport Chemical Depot, 117  
fishes of Tippecanoe County, 157  
mammals at the Newport Chemical Depot, 93  
plant species growing in Ginn Woods, 33  
reptiles at the Newport Chemical Depot, 106
- Chelydra serpentina* at the Newport Chemical Depot, 105, 111
- Chelydridae at the Newport Chemical Depot, 111
- Chipmunk, eastern, at the Newport Chemical Depot, 101
- Chrysemy picta* at the Newport Chemical Depot, 111, 112
- Chub  
creek  
at the Newport Chemical Depot, 115, 119  
common in Tippecanoe County, 162  
in Buck Creek, 122  
gravel, in Tippecanoe County, 162  
hornyhead, in Tippecanoe County, 152, 162  
silver, 160  
new county record for Tippecanoe County, 156  
speckled, in Tippecanoe County, 162  
streamline, new county record for Tippecanoe County, 156
- Chubsucker, creek  
in Buck Creek, 121, 122  
in Tippecanoe County, 162
- Classified forest, Ginn Woods designated a, 2, 19
- Clay County  
new county record for the western harvest mouse in, 169  
western harvest mouse in, 167
- Clonophis kirtlandii*, 112  
state endangered species, 107
- Clupeidae at the Newport Chemical Depot, 115, 119
- Coal  
Bell, 73  
Buffaloville, 73  
Colchester, 71, 73  
Davis, 73  
Devoken, 73  
French Lick, 73  
Lower Block, 73  
Mariah Hill, 73  
Pinnack, 73  
Seelyville, 71, 73
- Coefficient of conservatism  
for Saugany Lake, 123, 127, 129  
use of charophytes when calculating, 130  
use of exotics when calculating, 130
- Colaptes auratus*, role of plumage coloration in, 181
- Colchester Coal  
lies above the Seelyville Coal, 73  
should mark the top of the Raccoon Creek Group, 71, 73
- Coluber constrictor* at the Newport Chemical Depot, 111, 112
- Colubridae at the Newport Chemical Depot, 111
- Committee on Biodiversity and Conservation, 91, 105, 115
- Common carp  
at the Newport Chemical Depot, 119  
in Buck Creek, 122  
near the Newport Chemical Depot, 118
- Common snakes at the Newport Chemical Depot, 111
- Common white sucker  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122
- Composition of the overstory in Ginn Woods, 4
- Conservation Reserve Program, 144
- Cope's gray tree frog at the Newport Chemical Depot, 109
- Copperhead Cave, 98
- Cottidae at the Newport Chemical Depot, 115, 120
- Cottontail, eastern, at the Newport Chemical Depot, 102
- Cottus bairdi*  
at the Newport Chemical Depot, 115, 120, 122  
disappearance from Calumet Harbor, 66
- County records, new  
badger, 148  
fishes in Tippecanoe County, 151, 156

- plant species in Ginn Woods, Delaware County, 23  
western harvest mouse, 169
- Coyote, 149  
at the Newport Chemical Depot, 102
- Creek chub  
at the Newport Chemical Depot, 115, 119  
common in Tippecanoe County, 162  
in Buck Creek, 122
- Creek chubsucker  
in Buck Creek, 121, 122  
in Tippecanoe County, 162
- Cricket frog at the Newport Chemical Depot, 109
- Crooked Lake, Noble County  
characteristics of, 86  
study of the respiration of *Lampsilis siliquoidea* in, 86
- Cryptotis parva*, 102
- Ctenopharyngodon idella*, 164  
established in the Mississippi and Ohio River systems, 62  
habitat requirements, 62  
history of its spread in the United States, 62-63  
new exotic species in the Lake Michigan drainage of Indiana, 61, 62
- Cycleptus elongatus* in Tippecanoe County, 151, 162
- Cyperaceae at Saugany Lake, 123, 128
- Cyprinella*  
*spiloptera* at the Newport Chemical Depot, 119  
*whipplei* in Tippecanoe County, 151, 164
- Cyprinidae at the Newport Chemical Depot, 115, 119
- Cyprinus carpio*  
at the Newport Chemical Depot, 119  
in Buck Creek, 122  
near the Newport Chemical Depot, 118  
one of the first two exotic fishes to become established in Indiana, 62
- Dace  
black-nosed (or blacknose)  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122  
red-bellied (or redbelly)  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122  
southern redbelly, 160  
new county record for Tippecanoe County, 156
- Darter  
blackside, in Tippecanoe County, 156  
bluebreast  
in Tippecanoe County, 160, 161, 163  
state endangered species, 164  
channel, 161, 162  
dusky, 164  
new county record for Tippecanoe County, 156  
eastern sand, 161  
state species of special concern, 164  
fantail  
at the Newport Chemical Depot, 120  
in Buck Creek, 122  
near the Newport Chemical Depot, 118  
greenside, at the Newport Chemical Depot, 120  
johnny  
at the Newport Chemical Depot, 119, 120  
in Buck Creek, 122  
least, 161, 162  
orangethroat  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122  
river, new county record for Tippecanoe County, 156  
slenderhead, new county record for Tippecanoe County, 156  
Tippecanoe, 164
- Darters at the Newport Chemical Depot, 115, 119-120
- Davis Coal of Kentucky  
beds, 73  
Seelyville Coal lies above the top of, 73  
top of the Raccoon Creek Group in Kentucky, 73
- Davis-Purdue Research Forest  
comparison to Ginn Woods, 12  
identified as a lowland depressional forest, 13
- Deam, Charles C., at Ginn Woods, 3, 19
- Deer, white-tailed, at the Newport Chemical Depot, 102
- Deer mouse at the Newport Chemical Depot, 100
- Dekay's snake at the Newport Chemical Depot, 111
- Delaware County, Ginn Woods, 1, 17
- Department of Defense, 91, 105, 115
- Devoken Coal of Kentucky, 73
- Diadophis punctatus* at the Newport Chemical Depot, 112
- Didelphidae at the Newport Chemical Depot, 97
- Didelphis virginiana* at the Newport Chemical Depot, 97
- Dipodidae at the Newport Chemical Depot, 101
- Distribution of the Western Harvest Mouse, Reithrodontomys megalotis, in Indiana*, 167
- Dorosoma*  
*cepedianum* at the Newport Chemical Depot, 119  
*petenense*, new county record for Tippecanoe County, 151, 156
- Dove, mourning, role of plumage coloration in, 194
- Dreissena polymorpha*  
its effect on native freshwater mussels, 85  
respiration rate of, 87

- Droste, John B., 71
- Drum, freshwater, in Tippecanoe County, 162
- Dusky darter, 164  
new county record for Tippecanoe County, 156
- East Meadow at Ginn Woods, 22  
vegetation of, 25  
wettest meadow, 25
- Eastern box turtle at the Newport Chemical Depot, 105, 111
- Eastern chipmunk at the Newport Chemical Depot, 101
- Eastern cottontail at the Newport Chemical Depot, 102
- Eastern garter snake at the Newport Chemical Depot, 111
- Eastern hognose snake at the Newport Chemical Depot, 112
- Eastern milk snake, 112
- Eastern mole at the Newport Chemical Depot, 98
- Eastern mud turtle, 112  
state endangered species, 107
- Eastern newt, 112
- Eastern painted turtle at the Newport Chemical Depot, 111, 112
- Eastern pipistrelle  
abundant at Prairie Creek, 176  
at Prairie Creek, 171  
at the Indianapolis International Airport, 171  
at the Newport Chemical Depot, 100  
population variation in, 174
- Eastern red bat  
abundant at the Indianapolis International Airport, 177  
at Prairie Creek, 171  
at the Indianapolis International Airport, 171
- Eastern ribbon snake at the Newport Chemical Depot, 112
- Eastern sand darter, 161  
state species of special concern, 164
- Edaphic conditions  
in Ginn Woods, 21  
their effect on tree growth in Ginn Woods, 11
- Edge habitat  
composition in Ginn Woods, 29-31  
highest diversity habitat in Ginn Woods, 29
- Edwards, Dale D., 79
- Eel, American, 161
- Effect of Temperature on the Respiration of the Freshwater Mussel Lampsilis siliquoidea (Bivalvia: Unionidae)*, The, 85
- Effects of Color Manipulations on Captive Flocks of House Finches*, 181
- Elaphe*  
*obsoleta* at the Newport Chemical Depot, 105, 111  
*vulpina*, 112
- Emerald shiner  
at the Newport Chemical Depot, 119  
near the Newport Chemical Depot, 118
- Emydidae at the Newport Chemical Depot, 111
- Eptesicus fuscus*  
at Prairie Creek, 171  
at the Indianapolis International Airport, 171  
at the Newport Chemical Depot, 100  
dominant bat species at the Indianapolis International Airport, 176  
population variation in, 174
- Erimystax*  
*dissimilis*, new county record for Tippecanoe County, 151, 156  
*x-punctata* in Tippecanoe County, 162
- Erimyzon oblongus*  
in Buck Creek, 121, 122  
in Tippecanoe County, 162
- Esox*  
*americanus vermiculatus* in Tippecanoe County, 162  
*lucius*, 161
- Etheostoma*  
*blennioides* at the Newport Chemical Depot, 120  
*camuram*, 160  
in Tippecanoe County, 151  
state endangered species, 116, 151  
*flabellare*  
at the Newport Chemical Depot, 120  
in Buck Creek, 122  
near the Newport Chemical Depot, 118  
*microperca*, 161  
*nigrum*  
at the Newport Chemical Depot, 119, 120  
in Buck Creek, 122  
*spectabile*  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122  
*tippecanoe*, 164
- Euhrychiopsis leconteii*  
caused a population decline in Eurasian water milfoil, 131-132  
in Saugany Lake, 130  
native host, 130
- Eumeces*  
*fasciatus* at the Newport Chemical Depot, 111  
*laticeps* at the Newport Chemical Depot, 111
- Eurasian water milfoil, 130, 132
- Eurycea*  
*bislineata* at the Newport Chemical Depot, 109  
*longicauda*, 112
- Evansville Paleovalley, 77
- Evening bat  
at Prairie Creek, 171  
at the Indianapolis International Airport, 171  
dominant bat at Prairie Creek, 176

- population variation in, 174  
 roosts at the Indianapolis International Airport, 176  
 state endangered species, 171, 178  
 Exotic fish species in the Lake Michigan drainage of Indiana, 61  
*Extrarius aestivalis* in Tippecanoe County, 162  
 Fahey, Jennifer, 181  
*Fagus grandifolia*  
   dominant in Ginn Woods, 1, 5, 23  
   reproducing in pulses in Nixon Woods, 8  
   reproduction and replacement in North Woods, 5  
   roost tree for the evening bat, 176  
   second most important species in North Woods, 9  
   understory dominant in North Woods, 9  
 Fairfield Basin, 77  
 Fantail darter  
   at the Newport Chemical Depot, 120  
   in Buck Creek, 122  
   near the Newport Chemical Depot, 118  
 Farmer's Field at Ginn Woods, 21  
   disturbed area, 26  
   drainage of, 23  
   vegetation of, 26-27  
 Fatmucket  
   distribution of, 85-86  
   temperature, its effect on the respiration of, 85  
*Felis rufus*, state endangered species, 92  
 Ferns in Ginn Woods, 24, 25  
 Finch  
   house  
     agonistic interactions in, 183  
     covering red plumage results in a change in status, 181  
     effect of juvenile plumage, 193  
     effect of plumage color manipulation on, 181, 192-193, 195  
     females distinguish a variety of color types, 194  
     males avoid females during the spring, 192, 193  
     red color a subordinate badge, 181, 194  
     western house, behavior during the breeding season, 190  
 Fisher, Brant E., 151  
*Fishes of the Newport Chemical Depot, Vermillion County, Indiana*, 115  
*Fishes of Tippecanoe County, The*, 151  
 Five-lined skink at the Newport Chemical Depot, 111  
 Flicker, role of plumage coloration in, 181  
*Flora and Vegetation of Ginn Woods, Ball State University, Delaware County, Indiana, The*, 17  
 Floristic quality index  
   of Saugany Lake, 123, 127, 129  
   use of charophytes when calculating, 130  
   use of exotics when calculating, 130  
 Fountain County  
   new county record for the western harvest mouse, 169  
   western harvest mouse in, 167  
 Four-toed salamander, state endangered species, 107, 112  
 Fowler's toad at the Newport Chemical Depot, 105, 110  
 Fox squirrel at the Newport Chemical Depot, 101  
 Foxes, red and gray, at the Newport Chemical Depot, 102  
 Franklin's ground squirrel, 95  
*Fraxinus*  
   *americana*  
     reproducing in pulses in Nixon Woods, 8  
     subdominant in Ginn Woods, 1, 5, 9  
   *pennsylvanicus*, locally dominant in Ginn Woods, 1, 9  
     South Woods, 7  
 French Lick Coal, stratigraphic position of, 73  
 Freshwater drum in Tippecanoe County, 162  
 Freshwater mussels  
   currently in decline, 79, 80, 85  
   distribution, 79  
   diversity, 79, 85  
   need for appropriate fish hosts, 83  
   physiology, 85  
   reasons for decline, 79, 85  
   surveys run in Indiana, 80  
*Freshwater Mussels (Bivalvia: Unionidae) of Pigeon Creek, a Small Southwestern Indiana Tributary of the Ohio River, The*, 79  
*Fringilla coelebs*, role of plumage coloration in, 181-182, 192  
 Frog  
   choruses, 109, 110  
   Cope's gray tree, at the Newport Chemical Depot, 109  
   cricket, at the Newport Chemical Depot, 109  
   green, at the Newport Chemical Depot, 105, 110  
   northern crawfish, state endangered species, 107, 112  
   northern leopard, state species of special concern, 107  
   pickerel, at the Newport Chemical Depot, 105, 110  
   plains leopard, state species of special concern, 107  
   population declines, 112  
   southern leopard, at the Newport Chemical Depot, 111, 112  
   tree, at the Newport Chemical Depot, 109

- true, at the Newport Chemical Depot, 110  
western chorus, at the Newport Chemical Depot, 105, 109  
wood, at the Newport Chemical Depot, 111
- Fulton County  
new county record for the western harvest mouse, 167  
western harvest mouse in, 169
- Fundulus notatus* in Tippecanoe County, 163
- Gambusia affinis*, 164
- Gar, spotted, 160, 163  
new county record for Tippecanoe County, 156
- Gasterosteus aculeatus*  
first record in Lake Michigan, 62  
habitat requirements, 66  
history of its spread in the United States, 66  
non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61
- Ghost mimic shiner, 160
- Ginn Woods, 1, 17  
alluvial plain, 22, 29  
beech-maple-basswood forest, classified as, 9  
canopy gaps, 5, 11, 22, 24  
checklist of species at, 33  
classified forest, 2  
composition and structure of the overstory, 4, 31  
creek banks, vegetation of, 29  
diversity in, 10  
dominant overstory species, 5, 31  
drainage of, 22, 23  
edaphic conditions, 21  
edge habitat, vegetation of, 29-31  
effect of edaphic conditions on tree growth, 11  
exotic species at, 31  
habitats at, 21, 22  
history of its name, 2, 19  
map of, 20  
marsh habitat, vegetation of, 28  
mesic woods, vegetation of, 23-24  
most abundant families, 23  
new county records, 23  
old-growth forest, identified as an, 10-12, 18  
overstory sampling, 4  
potential for long-term ecological studies, 19  
shade intolerant species in, 1, 10  
shade tolerant dominants in, 1, 10  
soil types at, 3-4, 11  
species diversity in, 10  
subdominant overstory species, 5  
topography of, 21  
understory sampling, 4-5  
understory stem density, 3  
virgin forest, 3  
water table in, 4, 11  
windfalls, 11
- Ginn's Woods, history of name, 2, 19
- Gizzard shad at the Newport Chemical Depot, 115, 119
- Glaciation  
Illinoisan, 107  
Wisconsinan, 21, 107, 124
- Glaucomys volans*, 95, 102
- Glendale Fish and Wildlife Area, badgers at, 146
- Glywood Soils at Ginn Woods, 3
- Goby  
round  
habitat requirements, 65-66  
history of its spread in the United States, 65  
new exotic species in the Lake Michigan drainage of Indiana, 61  
reported in southern Lake Michigan, 62  
tubenose, recorded from southern Lake Michigan, 62
- Golden shiner, hybridizes with the rudd, 65
- Goldfish, 164  
one of the first two exotic fishes to become established in Indiana, 62
- Grass carp, 164  
established in the Mississippi and Ohio River systems, 62  
habitat requirements, 62  
history of its spread in the United States, 62-63  
new exotic species in the Lake Michigan drainage of Indiana, 61
- Grass pickerel in Tippecanoe County, 162
- Gravel chub in Tippecanoe County, 162
- Gray squirrel, 103
- Green frog at the Newport Chemical Depot, 105, 110
- Greenside darter at the Newport Chemical Depot, 120
- Green sunfish  
at the Newport Chemical Depot, 115, 120  
in Buck Creek, 122
- Gymnopilus* Meadow at Ginn Woods  
ferns in, 25  
vegetation of, 24-25
- Habitat fragmentation, its effect on  
bats, 171, 176, 178  
birds, 178
- Hackett, Eileen, 181
- Harelip sucker in Tippecanoe County, 152, 161
- Harris' sparrow, role of plumage coloration in, 193
- Herbaceous layer, its characteristics in mature forests in the eastern United States, 19
- Hemidactylum scutatum*, state endangered species, 107, 112
- Herrings at the Newport Chemical Depot, 119
- Heterodon platirhinos* at the Newport Chemical Depot, 112

- Hickory, bitternut, roost tree for the evening bat, 176
- Hiodon tergisus* in Tippecanoe County, 162
- Hoary bat  
 at Prairie Creek, 171  
 at the Indianapolis International Airport, 171  
 at the Newport Chemical Depot, 98  
 rare, 177
- Hornyhead chub in Tippecanoe County, 152, 162
- Horowitz, Alan S., 71
- House finch  
 agonistic interactions in, 183  
 covering red plumage results in a change in status, 181  
 effect of  
 juvenile plumage, 193  
 plumage color manipulation on, 181, 192-193, 195  
 females distinguish a variety of color types, 194  
 males avoid females during the spring, 192, 193  
 red color a subordinate badge, 181, 194
- House mouse at the Newport Chemical Depot, 101
- House sparrow, role of plumage coloration in, 192
- Hybognathus nuchalis* in Tippecanoe County, 163
- Hybrid striped bass, 160  
 new county record for Tippecanoe County, 156
- Hyla chrysoscelis* at the Newport Chemical Depot, 109
- Hylidae at the Newport Chemical Depot, 109
- Hypentelium nigricans* at the Newport Chemical Depot, 119
- Hypophthalmichthys nobilis*, 164
- Ictaluridae at the Newport Chemical Depot, 115, 119
- Ictiobus*  
*bubalus* in Tippecanoe County, 162  
*niger*, 161
- Illinois Basin, Raccoon Creek Group in, 71
- Indiana bat (also see *Indiana myotis*)  
 federally endangered species, 91, 92, 97, 98, 103, 112  
 maternity colony, 95  
 roost trees, 98
- Indiana Department of Environmental Management, 124
- Indiana Department of Natural Resources, 124, 143
- Indiana *myotis* (also see *Indiana bat*)  
 abundance affected by habitat fragmentation, 176  
 abundant at Prairie Creek, 176  
 at Prairie Creek, 171  
 at the Indianapolis International Airport, 171, 177  
 federally endangered species, 171, 178
- Indiana Natural Heritage Program's data base, 141, 143, 145, 146
- Indianapolis International Airport  
 agreement with the U.S. Fish and Wildlife Service to preserve bat habitat, 172  
 bat abundance at, 176  
 bat habitat characteristics at, 172, 178  
 bats at, 171  
 roost sites at the Indianapolis International Airport, 172, 173, 176  
 United Airlines Regional Hub Service, 171
- Jasper County, western harvest mouse in, 167
- Jefferson's salamander, 112
- Johnny darter  
 at the Newport Chemical Depot, 119, 120  
 in Buck Creek, 122
- Johnson, Scott A., 141
- Jones, Bobette E., 1
- Jumping mouse at the Newport Chemical Depot, 101
- Kentucky  
 Bell Coal, 73  
 Davis Coal, 73  
 Devoken Coal, 73
- Kieweg Woods, western harvest mouse in, 167
- Kinostemon subrubrum*, 112  
 state endangered species, 107
- Kirkland's snake, 112  
 state endangered species, 107
- Labidesthes sicculus* in Tippecanoe County, 163
- Laborda, Jeffery A., 171
- Lagochila lacera* in Tippecanoe County, 152
- Lake County  
 new county record for the western harvest mouse, 169  
 western harvest mouse in, 167
- Lake Michigan  
 exotic and non-indigenous fish species in the Indiana drainage of, 61  
 new records for exotic and non-indigenous fishes of the nearshore region and its tributaries, 63
- Lampetra appendix*  
 at the Newport Chemical Depot, 115, 118, 121  
 in Tippecanoe County, 162
- Lamprey, American brook  
 at the Newport Chemical Depot, 115, 118, 121  
 in Tippecanoe County, 162
- Lampreys at the Newport Chemical Depot, 118
- Lampropeltis*  
*calligaster* at the Newport Chemical Depot, 112  
*getulus*, 112  
*triangulum*, 112
- Lampsilis*  
*siliquoidea*  
 absent from Pigeon Creek, 79, 82, 83

- distribution of, 85-86  
 physiology of, 86  
 temperature, its effect on the respiration of, 85
- teres*  
 absent from Pigeon Creek, 79, 82  
 fish hosts, 83  
 intolerant of pollution, 82  
*ventricosa*, respiration rate of, 87
- Largemouth bass at the Newport Chemical Depot, 115, 120
- Lasionycteris noctivagans*  
 at Prairie Creek, 171, 174, 175  
 at the Newport Chemical Depot, 100
- Lasiurus*  
*borealis*  
 abundant at the Indianapolis International Airport, 177  
 at Prairie Creek, 171  
 at the Indianapolis International Airport, 171  
 at the Newport Chemical Depot, 98  
*cinereus*  
 at Prairie Creek, 171  
 at the Indianapolis International Airport, 171  
 at the Newport Chemical Depot, 98  
 rare, 177
- Lasmigona complanata*  
 associated with degraded habitats, 83  
 in Pigeon Creek, 79, 81
- Least darter, 161, 162  
 Least shrew, 102  
 Least weasel, 103  
 Leibacher, Brian, 167  
 Lemnaceae at Saugany Lake, 123, 128  
 Lenawee Soils at Ginn Woods, 3-4  
*Lepisosteus oculatus*, new county record for Tippecanoe County, 151, 156
- Lepomis*  
*cyaneus*  
 at the Newport Chemical Depot, 115, 120  
 in Buck Creek, 122  
*gulosus*, 161  
 at the Newport Chemical Depot, 118, 120, 121  
*macrochirus* at the Newport Chemical Depot, 120  
*microlophus*, new county record for Tippecanoe County, 151, 156
- Leporidae at the Newport Chemical Depot, 102
- Leptodea fragilis*  
 associated with degraded habitats, 83  
 in Pigeon Creek, 79  
 most common unionid in Pigeon Creek, 81
- Lily Meadow at Ginn Woods, 22  
 ferns in, 25  
 vegetation of, 25
- Lindera benzoin*, understory dominant in Ginn Woods, 9
- Liriodendron tulipifera*, subdominant in Ginn Woods, 9
- Little brown bat (also little brown myotis)  
 abundant at the Indianapolis International Airport, 177  
 at Prairie Creek, 171  
 at the Indianapolis International Airport, 171  
 at the Newport Chemical Depot, 100  
 population variation in, 174
- Logperch (or log perch)  
 at the Newport Chemical Depot, 120  
 disappearance from Calumet Harbor, 66
- Longtail salamander, 112
- Long-tailed weasel at the Newport Chemical Depot, 102
- Lota lota*, 161
- Lower Block Coal, base separates the Brazil Formation above from the Mansfield Formation below, 73
- Luxilus chrysocephalus* at the Newport Chemical Depot, 119
- Lynx rufus*, 103
- Lythrurus umbratilis*  
 at the Newport Chemical Depot, 119, 120  
 in Tippecanoe County, 162
- Macrhybopsis storeriana*, new county record for Tippecanoe County, 151, 156
- Madtom  
 bridled, 119  
 mountain, new county record for Tippecanoe County, 156  
 tadpole, in Tippecanoe County, 160, 161, 163
- Maki, Melissa, 181
- Mammals, checklist for the Newport Chemical Depot, 93
- Mammals of the Newport Chemical Depot, Vermillion County, Indiana*, 91
- Mansfield Formation, 73  
 correlation with the Caseyville Formation of Kentucky and Illinois, 77  
 lowest formation in the Raccoon Creek Group, 71  
 separated from the Brazil Formation above by the base of the Lower Block Coal, 73  
 subdivisions, 73
- Marbled salamander, 112
- Mariah Hill Coal, 73
- Marmota monax* at the Newport Chemical Depot, 101
- Marshall County  
 new county record for the western harvest mouse, 169  
 western harvest mouse in, 167
- Martin, purple, role of plumage coloration in, 194
- McCourt, Amy, 181

- Meadow jumping mouse at the Newport Chemical Depot, 101
- Meadow vole at the Newport Chemical Depot, 101
- Mephitidae at the Newport Chemical Depot, 102
- Mephitis mephitis* at the Newport Chemical Depot, 102
- Micropterus*
- dolomieu*, 62
- punctulatus* in Tippecanoe County, 151, 160
- salmoides* at the Newport Chemical Depot, 115, 120
- Microtus*
- maniculatus* at the Newport Chemical Depot, 100
- ochrogaster* at the Newport Chemical Depot, 100
- pennsylvanicus* at the Newport Chemical Depot, 101
- pinetorum*, 102
- Milfoil, northern water, native host of the milfoil weevil, 130
- Milfoil weevil in Saugany Lake, 130
- caused a population decline in Eurasian water milfoil, 130-132
- native host, 130
- Mimic shiner, subspecies of, 160
- Mink, 103
- Minnow
- bluntnose
- at the Newport Chemical Depot, 115, 119, 120
- common in Tippecanoe County, 162
- in Buck Creek, 122
- bullhead, in Tippecanoe County, 162, 164
- Mississippi silvery, in Tippecanoe County, 163
- pugnose, 161, 162
- silverjaw
- at the Newport Chemical Depot, 115, 119
- in Buck Creek, 122
- suckermouth, at the Newport Chemical Depot, 119
- Minnows at the Newport Chemical Depot, 115, 119
- Misgurnus anguillicaudatus* recorded in the streams of northeastern Illinois, 62
- Mississippi silvery minnow in Tippecanoe County, 163
- Mole, eastern, at the Newport Chemical Depot, 98
- Moles at the Newport Chemical Depot, 98
- Mooneye in Tippecanoe County, 162
- Morone*
- americana*
- habitat requirements, 67
- history of its spread in the United States, 66-67
- non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61
- chrytops*
- hybridizes with *Morone saxatilis*, 67
- x *Morone saxatilis*, new county record for Tippecanoe County, 151, 156
- saxatilis*
- habitat requirements, 67
- history of its spread in the United States, 67
- hybridizes with *Morone chrytops*, 67
- non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61
- Mosquitofish, western, 164
- Mottled sculpin
- at the Newport Chemical Depot, 115, 120, 122
- disappearance from Calumet Harbor, 66
- Mountain madtom, new county record for Tippecanoe County, 156
- Mourning dove, role of plumage coloration in, 194
- Mouse
- deer, 100
- house, 101
- meadow jumping, 101
- western harvest
- dispersal routes in Indiana, 170
- distribution in
- Illinois, 167, 170
- Indiana, 167, 170
- ectoparasites of, 170
- primary habitat of, 168, 169
- state species of special concern, 91, 97, 100, 103, 167
- status should be reevaluated, 170
- white-footed, 100
- Mouse-eared bats at the Newport Chemical Depot, 98-99
- Moxostoma*
- carinatum* in Tippecanoe County, 152
- valenciennesi*, state species of special concern, 116
- Moy, Philip B., 61
- Mudminnow, central, 162
- new county record for Tippecanoe County, 156
- seed population of, 160
- Mudpuppy, state species of special concern, 107, 112
- Muridae at the Newport Chemical Depot, 100-101
- Murinae at the Newport Chemical Depot, 101
- Mus musculus* at the Newport Chemical Depot, 101
- Muskrat at the Newport Chemical Depot, 101
- Mustela*
- frenata* at the Newport Chemical Depot, 102
- nivalis*, 103
- vison*, 103
- Mustelidae at the Newport Chemical Depot, 102
- Myers-Kinzie, Melody, 85

## Myotis

- Indiana (also see Indiana bat)
  - abundance affected by habitat fragmentation, 176
  - abundant at Prairie Creek, 176
  - at Prairie Creek, 171
  - at the Indianapolis International Airport, 171, 177
  - federally endangered species, 171, 178
  - population variation in, 174
  - roost sites at the Indianapolis International Airport, 172, 173, 176
- little brown (also see bat, little brown)
  - abundant at the Indianapolis International Airport, 177
  - at Prairie Creek, 171
  - at the Indianapolis International Airport, 171
  - population variation in, 174
- northern, 95, 98
  - abundance affected by habitat fragmentation, 176
  - abundant at Prairie Creek, 176
  - at Prairie Creek, 171
  - at the Indianapolis International Airport, 171
  - maternity colony, 95
  - population variation in, 174
  - roosts at the Indianapolis International Airport, 176, 177

## Myotis

- lucifugus*
  - abundant at the Indianapolis International Airport, 177
  - at Prairie Creek, 171
  - at the Indianapolis International Airport, 171
  - at the Newport Chemical Depot, 100
  - population variation in, 174
- septentrionalis*
  - abundance affected by habitat fragmentation, 176
  - abundant at Prairie Creek, 176
  - at Prairie Creek, 171
  - at the Indianapolis International Airport, 171
  - maternity colony, 95, 98
  - most abundant bat at the Newport Chemical Depot, 98
  - population variation in, 174
  - roosts at the Indianapolis International Airport, 176, 177
- sodalis*
  - abundance affected by habitat fragmentation, 176
  - abundant at Prairie Creek, 176
  - at Prairie Creek, 171

- at the Indianapolis International Airport, 171, 177
- federally endangered species, 91, 92, 97, 98, 103, 171, 178
- maternity colony, 95
- population variation in, 174
- roost sites at the Indianapolis International Airport, 172, 173, 176
- roost trees at the Newport Chemical Depot, 98

*Myriophyllum*

- sibiricum*, native host of the milfoil weevil, 130
- spicatum* at Saugany Lake, 128

## Natural Regions of Indiana, their delineation, 19

*Necturus maculosus*, state species of special concern, 107, 112*Neogobius melanostomus*

- habitat requirements, 65-66
- history of its spread in the United States, 65
- new exotic species in the Lake Michigan drainage of Indiana, 61
- reported in southern Lake Michigan, 62

*Nerodea sipedon* at the Newport Chemical Depot, 105, 111*New Distribution Records for Exotic and Non-Indigenous Fish Species in the Lake Michigan Drainage, Indiana*, 61

## Newport Army Ammunition Plant, 115

## Newport Chemical Depot

- amphibians of, 105
- bats of, 92
- checklist of the
  - amphibians, 106
  - fishes, 117
  - mammals, 93-94
  - reptiles 106
- fish, well-established species at, 120
- fishes of, 115
- mammals of, 91
- reptiles of, 105
- streams in, 108, 116, 118
- vegetation of, 108, 115

## Newt, eastern, 112

## Newton County, western harvest mouse in, 167

## New World mice at the Newport Chemical Depot, 100

## Nixon Woods

- dominants in, 7
- part of Ginn Woods, 3, 21
- subdominants in, 7-8
- tree species reproduction in, 8
- Ulmus rubra* and *Acer saccharum* have high understorey densities, 8
- understorey stem density highest in, 8
- wet areas in, 21

- Noble County, study of the respiration of *Lampsilis siliquoidea* in Crooked Lake, 86
- Nocomis biguttatus* in Tippecanoe County, 152
- Non-indigenous fish species in the Lake Michigan drainage of Indiana, 61
- Northeast Morainal Natural Region, badgers in, 146
- Northern crawfish frog, state endangered species, 107
- Northern hog sucker at the Newport Chemical Depot, 119
- Northern leopard frog, state species of special concern, 107
- Northern mimic shiner, 160
- Northern myotis, 95  
abundance affected by habitat fragmentation, 176  
abundant at Prairie Creek, 176  
at Prairie Creek, 171  
at the Indianapolis International Airport, 171  
maternity colony, 95, 98  
most abundant bat at the Newport Chemical Depot, 98  
population variation in, 174  
roosts at the Indianapolis International Airport, 176, 177
- Northern pike, 161
- Northern redbellied snake, 112
- Northern ringneck snake at the Newport Chemical Depot, 112
- Northern water milfoil, native host of the milfoil weevil, 130
- Northern water snake at the Newport Chemical Depot, 105, 111
- Northwest Tall Grass Prairie Natural Region, badgers in, 146
- North Woods  
*Acer saccharum* and *Fagus grandifolia* reproducing well, 5  
*Fagus grandifolia*, understory dominant, 9  
part of Ginn Woods, 2, 19  
*Quercus rubra* not replacing itself, 5  
*Tilia americana* and *Ulmus rubra* reproducing in pulses, 5  
understory stem density, 8
- Norway rat, 102
- Notophthalmus viridescens*, 112
- Notropis*  
*ariommus*  
extirpated in Indiana, 116  
state endangered species, 116  
*atherinoides*  
at the Newport Chemical Depot, 119  
near the Newport Chemical Depot, 118  
*buccatus*  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122  
*dorsalis*, 161  
*stramineus* at the Newport Chemical Depot, 119  
*volucellus*, subspecies of,  
*N. v. buchanani*, 160  
*N. v. volucellus*, 160  
*N. v. wickliffi*, 160  
*wickliffi*, new county record for Tippecanoe County, 151, 156
- Noturus*  
*eleutherus*, a new county record for Tippecanoe County, 151, 156  
*gyrinus* in Tippecanoe County, 160  
*miurus*, 119
- Nuphar advena* at Saugany Lake, 128
- Nycticeius humeralis*  
at Prairie Creek, 171  
at the Indianapolis International Airport, 171  
dominant bat at Prairie Creek, 176  
population variation in, 174  
roosts at the Indianapolis International Airport, 176  
state endangered species, 92, 171, 178
- Nymphaea odorata* at Saugany Lake, 128
- Oak, white, roost tree for the evening bat, 176
- Odocoileus virginianus* at the Newport Chemical Depot, 102
- Old-growth forest, 1  
criteria for identifying, 1-2  
Davis-Purdue Research Forest identified as an, 12  
Ginn Woods identified as an, 10-12, 18  
list for Indiana, 13
- Old World mice at the Newport Chemical Depot, 101
- Oncorhynchus*  
*kisutch*, 62  
*mykiss*, 62  
*tschawytscha*, 62
- Ondatra zibethicus* at the Newport Chemical Depot, 101
- Ontario-Erie Lobe of the Wisconsinan ice sheet, its effect on Ginn Woods, 21
- Opheodrys aestivus*, 112  
state species of special concern, 107
- Opossum at the Newport Chemical Depot, 97
- Opsopoeodus emiliae*, 161
- Orangethroat darter  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122
- Oriental weatherfish, recorded in the streams of northeastern Illinois, 62
- Otter Creek, fishes of, 122
- Overstory at Ginn Woods  
dominants in, 5  
dominated by shade tolerant species, 10  
of Nixon Woods, 7

- of North Woods, 5
  - of South Woods, 5, 7
  - sampling, 4
  - structure and composition, 4
  - subdominants in, 5
- Paddlefish in Tippecanoe County, 163
- Parke County
  - new county record for the western harvest mouse, 169
  - western harvest mouse in, 167
- Peeper, spring, at the Newport Chemical Depot, 105, 109
- Percea flavescens*, 62, 161
- Perch
  - log (also see logperch), at the Newport Chemical Depot, 120
  - white
    - habitat requirements, 67
    - history of its spread in the United States, 66-67
    - non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61
  - yellow, 62, 161
- Perch at the Newport Chemical Depot, 119-120
- Percidae at the Newport Chemical Depot, 115, 119-120
- Percina*
  - caprodes*
    - at the Newport Chemical Depot, 120
    - disappearance from Calumet Harbor, 66
  - copelandi*, 161
  - phoxocephala*, new county record for Tippecanoe County, 151, 156
  - sciera*, new county record for Tippecanoe County, 151, 156
  - shumardi*, new county record for Tippecanoe County, 151, 156
- Peromyscus*
  - leucopus* at the Newport Chemical Depot, 100
  - maniculatus* at the Newport Chemical Depot, 100
- Perth Limestone, bottom of the Staunton Formation, 73
- Petromyzontidae at the Newport Chemical Depot, 115, 118
- Pewamo Silty Clay Loam, 21
- Phenacobius mirabilis* at the Newport Chemical Depot, 119
- Phoxinus erythrogaster*
  - at the Newport Chemical Depot, 115, 119
  - in Buck Creek, 122
  - new county record for Tippecanoe County, 151, 156
- Pickereel, grass, in Tippecanoe County, 162
- Pickereel frog at the Newport Chemical Depot, 105, 110
- Pigeon Creek, Warrick and Vanderburgh Counties, 80-81
  - characteristics of, 80-81
  - unionid mussels of, 79
  - water quality of, 81, 82
- Pigeon Creek Greenway Passage, 81
- Pike, northern, 161
- Pimephales*
  - notatus*
    - at the Newport Chemical Depot, 115, 119, 120
    - common in Tippecanoe County, 162
    - in Buck Creek, 122
  - vigilax* in Tippecanoe County, 151, 162
- Pine vole, 102
- Pinnick Coal, stratigraphic position of, 73
- Pipistrelle, eastern
  - abundant at Prairie Creek, 176
  - at Prairie Creek, 171
  - at the Indianapolis International Airport, 171
  - at the Newport Chemical Depot, 100
  - population variation in, 174
- Pipistrellus subflavus*
  - abundant at Prairie Creek, 176
  - at Prairie Creek, 171
  - at the Indianapolis International Airport, 171
  - at the Newport Chemical Depot, 100
  - population variation in, 174
- Plains leopard frog, state species of special concern, 107
- Plant species diversity in Ginn Woods, 17
- Platanus occidentalis*, locally dominant in
  - Ginn Woods, 1, 9
  - South Woods, 7
- Plethodon*
  - cinereus* at the Newport Chemical Depot, 109
  - dorsalis*, 112
  - glutinosus* at the Newport Chemical Depot, 109, 112
- Plethodontidae at the Newport Chemical Depot, 109
- Ploceus cucullatus*, role of plumage coloration in, 194
- Plumage coloration, role of, in the
  - chaffinch (*Fringilla coelebs*), 181-182
  - flicker (*Colaptes auratus*), 181
  - Harris' sparrow (*Zonotrichia querula*), 193
  - house finch (*Carpodacus mexicanus*), 182-183
  - house sparrow, 192
  - mourning dove (*Zenaidura macroura*), 194
  - purple martin (*Progne subis*), 194
  - red-winged blackbird (*Agelaius phoeniceus*), 194
  - village weaverbird (*Ploceus cucullatus*), 194
  - western house finch, 190
  - white-crowned sparrow (*Zonotrichia leucophrys*), 193, 194, 195

- Plumage color manipulation, its effect in house finches, 182, 192-193, 195
- Polygonum hydropiperoides*, state-listed species at Saugany Lake, 128
- Polyodon spathula* in Tippecanoe County, 163
- Populus deltoides*  
locally dominant in  
Ginn Woods, 1, 9  
South Woods, 7  
stand separates North Woods from Wesley Wet Area at Ginn Woods, 21
- Potamogeton*  
*crispus*, nonnative at Saugany Lake, 128  
*praelongus*  
population growth aided by the presence of the milfoil weevil, 131  
state endangered species at Saugany Lake, 128  
*pusillus*, state-listed species at Saugany Lake, 128  
*vaseyi*, state-listed species at Saugany Lake, 128  
*zosterformis* at Saugany Lake, 128
- Potamogetonaceae at Saugany Lake, 123, 128
- Prairie Creek, Vigo County, bats at, 171  
bat abundance at, 176  
bat habitat characteristics at, 172, 178
- Prairie king snake at the Newport Chemical Depot, 112
- Prairie vole at the Newport Chemical Depot, 100
- Pre-settlement forest in east-central Indiana, 19
- Procyonidae at the Newport Chemical Depot, 102
- Procyon lotor* at the Newport Chemical Depot, 102
- Progne subis*, role of plumage coloration in, 194
- Prohibition of Chemical Weapons Treaty, 103, 105, 115
- Proterirhinus marmoratus* recorded from southern Lake Michigan, 62
- Prunus serotina*, subdominant in Ginn Woods, 1, 9
- Pseudacris*  
*crucifer* at the Newport Chemical Depot, 105, 109  
*triseriata* at the Newport Chemical Depot, 105, 109
- Pugnose minnow, 161, 162
- Pulaski County  
new county record for the western harvest mouse, 169  
western harvest mouse in, 167
- Purdue-Baker Wildlife Area, 162
- Purple martin, role of plumage coloration in, 194
- Ptyganodon*  
*cataracta*, the effect of temperature on the respiration of, 87  
*grandis*  
associated with degraded habitats, 83  
in Pigeon Creek, 82
- Q<sub>10</sub>*, 85
- Quadrula quadrula*  
in Pigeon Creek, 79, 82  
most common unionid in Pigeon Creek, 81
- Quercus*  
*alba*, roost tree for the evening bat, 176  
*bicolor*, found at West Vernal Pool in Ginn Woods, 21  
*rubra*  
failing to reproduce in  
Nixon Woods, 8  
North Woods, 5  
subdominant in Ginn Woods, 1, 5, 9  
*shumardii*, lumped with *Q. rubra* when analyzing Ginn Woods, 5
- Raccoon at the Newport Chemical Depot, 102
- Raccoon Creek Group  
Colchester Coal should mark the top of, 71, 73, 77  
Mansfield Formation, lowest formation in, 71  
Seelyville Coal, 71
- Raccoon Creek Group (Pennsylvanian) in the Subsurface of the Illinois Basin, The*, 71
- Racer, black, at the Newport Chemical Depot, 111, 112
- Rana*  
*areolata*, state endangered species, 107, 112  
*blairi*, state species of special concern, 107  
*catesbeiana* at the Newport Chemical Depot, 111  
*clamitans* at the Newport Chemical Depot, 105, 110  
*palustris* at the Newport Chemical Depot, 105, 110  
*pipiens*, state species of special concern, 107  
*sylvatica* at the Newport Chemical Depot, 111  
*utricularia* at the Newport Chemical Depot, 111, 112
- Range Expansion of the Badger (Taxidea taxus) in Indiana*, 141
- Ranidae at the Newport Chemical Depot, 110
- Rattus novegicus*, 102
- Red-backed salamander at the Newport Chemical Depot, 109
- Red bat at the Newport Chemical Depot, 98
- Red-bellied (or redbelly) dace  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122
- Redear sunfish, 160, 162, 163  
new county record for Tippecanoe County, 156
- Redfin shiner  
at the Newport Chemical Depot, 119, 120  
in Tippecanoe County, 162
- Redhorse, river  
in Tippecanoe County, 152  
state species of special concern, 164

- Red-winged blackbird, role of plumage coloration in, 194
- Reithrodontomys megalotis*  
dispersal routes in Indiana, 170  
distribution in  
    Illinois, 167, 170  
    Indiana, 167, 170  
ectoparasites of, 170  
primary habitat of, 168, 169  
state species of special concern, 91, 97, 103, 167  
status should be reevaluated, 170
- Reptiles, checklist for the Newport Chemical Depot, 106
- Reptiles and Amphibians of the Newport Chemical Depot, Vermillion County, Indiana*, 105
- Rhinichthys atratulus*  
at the Newport Chemical Depot, 115, 119  
in Buck Creek, 122
- River darter, new county record for Tippecanoe County, 156
- River redbhorse  
in Tippecanoe County, 152  
state species of special concern, 164
- Robinson, Heather, 181
- Rough green snake, 112  
state species of special concern, 107
- Round goby  
habitat requirements, 65-66  
history of its spread in the United States, 65  
new exotic species in the Lake Michigan drainage of Indiana, 61  
reported in southern Lake Michigan, 62
- Ruch, Donald J., 1, 17
- Rudd  
habitat requirements, 65  
history of its spread in the United States, 65  
hybridizes with the golden shiner, 65  
new exotic species in the Lake Michigan drainage of Indiana, 61
- Rumex crispus*, nonnative at Saugany Lake, 128
- Salamander  
four-toed salamander, state endangered species, 107, 112  
Jefferson's, 112  
longtail, 112  
lungless, at the Newport Chemical Depot, 109  
marbled, 112  
mole, at the Newport Chemical Depot, 109  
red-backed, at the Newport Chemical Depot, 109  
slimy, at the Newport Chemical Depot, 109, 112  
small-mouth, at the Newport Chemical Depot, 105, 109  
spotted, 112  
tiger, 109, 112  
two-lined, at the Newport Chemical Depot, 109  
zig-zag, 112
- Salix nigra*, separates Small Field from Wesley Wet Area at Ginn Woods, 21
- Salvelinus namaycush*, 62
- Sand shiner at the Newport Chemical Depot, 119
- Saugany Lake, LaPorte County, 123  
age of, 124  
checklist of the aquatic vascular plants and charophytes in, 134  
coefficient of conservatism for, 123, 127, 129, 130  
defined as a Class One lake, 124  
emergent vegetation of, 125, 128  
floristic quality index for, 123, 127, 129, 130  
least disturbed areas in, 129  
location, 124, 125  
most disturbed areas in, 129  
ranking aquatic plant coverage at, 126-127  
road salt intrusion at, 124  
soils surrounding, 124  
species richness at, 129  
state endangered species at, 128  
state-listed species at, 128  
water quality at, 124
- Sauger in Tippecanoe County, 162
- Scalopus aquaticus* at the Newport Chemical Depot, 98
- Scaphirhynchus platyrhynchus* in Tippecanoe County, 162
- Scardinius erythrophthalmus*  
habitat requirements, 65  
history of its spread in the United States, 65  
hybridizes with the golden shiner, 65  
new exotic species in the Lake Michigan drainage of Indiana, 61
- Schoultz, Ashleigh, 1, 17
- Scincidae at the Newport Chemical Depot, 111
- Sciuridae at the Newport Chemical Depot, 101
- Sciurus*  
*carolinensis*, 103  
*niger* at the Newport Chemical Depot, 101
- Scribailo, Robin W., 123
- Sculpin, mottled  
at the Newport Chemical Depot, 115, 120, 122  
disappearance from Calumet Harbor, 66
- Sculpins at the Newport Chemical Depot, 120
- Seelyville Coal, 71  
lies above the top of the Davis Coal, 73  
lies below the Colchester Coal, 73  
recommended as the top of the Raccoon Creek Group by the Tri-State Committee on Correlation in the Pennsylvanian System, 71-72
- Semotilus atromaculatus*  
at the Newport Chemical Depot, 115, 119  
common in Tippecanoe County, 162  
in Buck Creek, 122

- Shad  
 gizzard, at the Newport Chemical Depot, 115, 119  
 threadfin, 160, 163  
 new county record for Tippecanoe County, 156
- Shade intolerant species in Ginn Woods, 1, 10
- Shade tolerant dominants in Ginn Woods, 1, 10
- Shiner  
 bigmouth, 161, 162  
 channel, 160  
 new county record for Tippecanoe County, 156  
 channel mimic, 160  
 emerald  
 at the Newport Chemical Depot, 119  
 near the Newport Chemical Depot, 118  
 ghost mimic, 160  
 golden, hybridizes with the rudd, 65  
 mimic, subspecies of, 160  
 northern mimic, 160  
 redfin  
 at the Newport Chemical Depot, 119, 120  
 in Tippecanoe County, 162  
 sand, at the Newport Chemical Depot, 119  
 spotfin, at the Newport Chemical Depot, 119  
 steelcolor, in Tippecanoe County, 164  
 striped, at the Newport Chemical Depot, 119
- Short-tailed shrew at the Newport Chemical Depot, 97
- Shovelnose sturgeon in Tippecanoe County, 162
- Shrew, 97-98  
 least, 98  
 masked, at the Newport Chemical Depot, 98  
 short-tailed, at the Newport Chemical Depot, 97, 98  
 southeastern, 98
- Sigmodontinae at the Newport Chemical Depot, 100
- Silver chub, 160  
 new county record for Tippecanoe County, 156
- Silver-haired bat  
 at Prairie Creek, 171, 174, 175  
 at the Newport Chemical Depot, 100
- Silverjaw minnow, 115, 119  
 in Buck Creek, 122
- Silverside, brook, in Tippecanoe County, 163
- Simon, Thomas P., 61
- Skink  
 broad headed, at the Newport Chemical Depot, 111  
 five-lined, at the Newport Chemical Depot, 111  
 striped, at the Newport Chemical Depot, 102
- Skinks at the Newport Chemical Depot, 111
- Slenderhead darter, new county record for Tippecanoe County, 156
- Slimy salamander at the Newport Chemical Depot, 109, 112
- Small Field at Ginn Woods, 21  
 drainage of, 27  
 separated from Wesley Wet Area by a stand of *Salix nigra*, 21  
 vegetation of, 27
- Smallmouth bass, 62
- Smallmouth buffalo in Tippecanoe County, 162
- Small-mouth salamander at the Newport Chemical Depot, 105, 109
- Snake  
 black king, 112  
 black rat, at the Newport Chemical Depot, 105, 111  
 Dekay's, at the Newport Chemical Depot, 111  
 eastern garter, at the Newport Chemical Depot, 111  
 eastern hognose, at the Newport Chemical Depot, 112  
 eastern milk, 112  
 eastern ribbon, 112  
 Kirkland's, 112  
 state endangered species, 107  
 northern redbellied, 112  
 northern ringneck, at the Newport Chemical Depot, 112  
 northern water, at the Newport Chemical Depot, 105, 111  
 prairie king, at the Newport Chemical Depot, 112  
 rough green, 112  
 state species of special concern, 107  
 western fox, 112  
 western ribbon, 112  
 state species of special concern, 107  
 worm, at the Newport Chemical Depot, 112
- Snakes, common, at the Newport Chemical Depot, 111
- Snapping turtle at the Newport Chemical Depot, 105, 111
- Soils types at Ginn Woods, 3-4
- Sorex longirostris*, 102
- Soricidae at the Newport Chemical Depot, 97
- Southern leopard frog at the Newport Chemical Depot, 111, 112
- South Vernal Pool at Ginn Woods  
 drainage of, 28  
 vegetation of, 28
- South Woods, part of Ginn Woods, 2, 19
- Acer*  
*rubrum*, locally abundant, 7  
*saccharinum*, locally abundant, 7  
*Carya laciniosa*, locally abundant, 7  
 elevation, 7  
*Fraxinus pennsylvanica*, locally abundant, 7  
*Platanus occidentalis*, locally abundant, 7

- Populus deltoides*, locally abundant, 7  
 soil moisture, 7  
 understory stem density, 8  
 wet areas in, 21  
 Southern bog lemming at the Newport Chemical Depot, 101  
 Southern flying squirrel, 95, 102  
 Southern Pond at Ginn Woods, 22  
 vegetation of, 27  
 Southern redbelly dace, 160  
 new county record for Tippecanoe County, 156  
 Southern shrew, 102  
 Spacie, Anne, 151  
 Sparks, Dale W., 171  
 Sparrow  
 Harris', role of plumage coloration in, 193  
 house, role of plumage coloration in, 192  
 white-crowned, role of plumage coloration in, 193, 194  
 Species diversity (plants) in Ginn Woods, 17  
 Speckled chub in Tippecanoe County, 162  
*Spermophilus*  
*franklinii*, 95  
*tridecemlineatus*, 95, 103, 149  
 Spottfin shiner at the Newport Chemical Depot, 119  
 Spotted bass in Tippecanoe County, 160, 164  
 Spotted gar, 160, 163  
 new county record for Tippecanoe County, 156  
 Spotted salamander, 112  
 Spring peeper at the Newport Chemical Depot, 105, 109  
 Squirrel  
 fox, 101  
 Franklin's ground, 95  
 gray, 103  
 southern flying, 95, 102  
 thirteen-lined ground, 95, 103, 149  
 Stafford, Jody, 181  
 Starke County  
 new county record for the western harvest mouse, 169  
 western harvest mouse in, 167  
 State Forester, Charles C. Deam, 19  
 Staunton Formation, 73  
 Perth Limestone marks the bottom of, 73  
 Steelcolor shiner in Tippecanoe County, 164  
 Stickleback, three-spined  
 habitat requirements, 66  
 history of its spread in the United States, 66  
 first record in Lake Michigan, 62  
 non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61  
*Stizostedion*  
*canadense* in Tippecanoe County, 162  
*vitreum* in Tippecanoe County, 162  
 Stoneroller, central  
 at the Newport Chemical Depot, 115, 119  
 common in Tippecanoe County, 162  
 in Buck Creek, 122  
*Storeria*  
*dekayi* at the Newport Chemical Depot, 111  
*occipitamaculata*, 112  
 Streamline chub, new county record for Tippecanoe County, 156  
 Striped bass  
 habitat requirements, 67  
 history of its spread in the United States, 67  
 hybridizes with *Morone chrysops*, 67  
 non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61  
 Striped shiner at the Newport Chemical Depot, 119  
 Striped skunk at the Newport Chemical Depot, 102  
*Structure and Composition of Ginn Woods, an Old-Growth Forest in East-Central Indiana*, 1  
 Structure of the overstory at Ginn Woods, 4  
 Sturgeon, shovelnose, in Tippecanoe County, 162  
 Sucker  
 blue  
 in Tippecanoe County, 162, 164  
 state species of special concern, 164  
 common white  
 at the Newport Chemical Depot, 115, 119  
 in Buck Creek, 122  
 harelip, in Tippecanoe County, 152, 161  
 northern bog, at the Newport Chemical Depot, 119  
 Suckermouth minnow at the Newport Chemical Depot, 119  
 Suckers at the Newport Chemical Depot, 115, 119  
 Sunfish  
 at the Newport Chemical Depot, 115, 120  
 green  
 at the Newport Chemical Depot, 115, 120  
 in Buck Creek, 122  
 redear, 160, 162, 163  
 new county record for Tippecanoe County, 156  
*Sylvilagus floridanus* at the Newport Chemical Depot, 102  
*Synaptomys cooperi* at the Newport Chemical Depot, 101  
 Tadpole madtom in Tippecanoe County, 160, 161, 163  
 Talpidae at the Newport Chemical Depot, 98  
*Tamias striatus* at the Newport Chemical Depot, 101  
*Taxidea taxus*, 103  
 current distribution in Indiana, 147  
 distribution, 141  
 early distribution in Indiana, 141, 143  
 evidence of reproduction in Indiana, 145

- factors  
 decreasing population size, 145  
 favoring range expansion, 146, 149  
 increasing population size, 145  
 home ranges, 146  
 new county records in Indiana, 148  
 no longer endangered in Indiana, 146  
 population trends in Indiana, 145  
 range expansion in Indiana, 141  
 state endangered species, 92, 143
- Taylor, John E., 1
- Technical Advisory Committee on Mammals,  
 Indiana Department of Natural Resources, 91,  
 105, 115
- Terrapene carolina* at the Newport Chemical  
 Depot, 105, 111
- Thamnophis*  
*proximus*, 112  
 state species of special concern, 107  
*sauritus* at the Newport Chemical Depot, 112  
*sirtalis* at the Newport Chemical Depot, 111
- Thirteen-lined ground squirrel, 95, 103  
 range expansion of, 149
- Threadfin shad, 160, 163  
 new county record for Tippecanoe County, 156
- Three-spine stickleback  
 first record in Lake Michigan, 62  
 habitat requirements, 66  
 history of its spread in the United States, 66  
 non-indigenous species expanding its range in  
 the Lake Michigan drainage of Indiana, 61
- Tiger salamander, 109, 112
- Tilia americana*  
 dominant in Ginn Woods, 1, 5  
 reproduces in pulses in  
 Nixon Woods, 8  
 North Woods, 5  
 second most dominant species in South and  
 Nixon Woods, 9
- Tippecanoe County, 151  
 fish species absent, 161  
 fish species count, 152, 165  
 fish diversity by site, 163  
 fish species expected but not found, 161-162  
 fish surveys, 152  
 new county fish species' records, 156  
 physical description, 152-153  
 recovery of fish diversity, 164  
 sites where fish were collected, 154-155  
 water quality, 165  
 western harvest mouse in, 167
- Tippecanoe darter, 164
- Tipton Till Plain, 107
- Toad  
 American, at the Newport Chemical Depot,  
 105, 109  
 Fowler's, at the Newport Chemical Depot, 105,  
 110
- Toads at the Newport Chemical Depot, 109
- Topminnow, blackstripe, in Tippecanoe County,  
 163
- Tree frogs at the Newport Chemical Depot, 109
- True frogs at the Newport Chemical Depot, 109
- Tube-nose goby recorded from southern Lake  
 Michigan, 62
- Turtle  
 eastern box, at the Newport Chemical Depot,  
 105, 111  
 eastern mud, 112  
 state endangered species, 107  
 eastern painted, at the Newport Chemical  
 Depot, 111, 112  
 snapping, at the Newport Chemical Depot, 105,  
 111  
 water, at the Newport Chemical Depot, 111
- Turtles at the Newport Chemical Depot, 111
- Two-lined salamander at the Newport Chemical  
 Depot, 109
- Ulmus*  
*americana*, subdominant in Ginn Woods, 5  
*rubra* in Ginn Woods  
 reproduces in pulses in North Woods, 5  
 roost tree for the Indiana bat (*Myotis*  
*sodalis*), 98  
 subdominant in the overstory, 1, 5, 9  
 understory dominant, 8
- Umbra limi*, new county record for Tippecanoe  
 County, 151, 156
- Understory at Ginn Woods  
 dominated by shade tolerant species, 8, 10  
 sampling, 4-5  
 stem density, 8
- Unionidae, 79, 85
- Urocyon cinereoargenteus* at the Newport Chemical  
 Depot, 102
- U.S. Fish and Wildlife Service, agreement with the  
 Indianapolis International Airport to preserve  
 bat habitat, 172
- Utricularia vulgaris* at Saugany Lake, 128
- Utterbackia imbecillis*, the effect of temperature on  
 the respiration of, 87
- Vanderburgh County, unusual net thickness of  
 limestone in the Brazil and Mansfield intervals,  
 73
- Veilleux, Jacques Pierre, 91, 105, 115
- Vermillion County  
 amphibians of the Newport Chemical Depot,  
 105  
 fishes of the Newport Chemical Depot, 115  
 mammals of the Newport Chemical Depot, 91  
 reptiles of the Newport Chemical Depot, 105  
 western harvest mouse in, 167
- Vespertilionidae at the Newport Chemical Depot,  
 98-99

- Vigo County  
 bats at Prairie Creek, 171  
 new county record for the western harvest mouse, 169  
 western harvest mouse in, 167
- Village weaverbirds, role of plumage coloration in, 194
- Vincent, Elizabeth Amma, 91, 105, 115
- Virgin forest, Ginn Woods designated a, 3, 19
- Vole  
 meadow, 100  
 muskrat, 100  
 prairie, 100
- Voles at the Newport Chemical Depot, 100-101
- Vulpes vulpes* at the Newport Chemical Depot, 102
- VX nerve agent, 91, 105, 113, 115  
 disposal of, 103
- Walleye in Tippecanoe County, 162
- Warmouth, 161, 162  
 at the Newport Chemical Depot, 118, 120, 121
- Warren County, western harvest mouse in, 167
- Water table at Ginn Woods, 4  
 effect on tree growth, 11
- Watt, Doris, 181
- Weasel, long-tailed, at the Newport Chemical Depot, 102
- Weatherfish, oriental, recorded in the streams of northeastern Illinois, 62
- Weaverbirds, village, role of plumage coloration in, 194
- Weevil, milfoil, in Saugany Lake, 130  
 caused a population decline in Eurasian water milfoil, 130-132  
 native host, 130
- Wente, Stephen P., 151
- Wesley Wet Area, part of Ginn Woods, 3, 21  
*Populus deltoides* at, 21  
*Salix nigra* at, 21  
 vegetation of, 25-26
- Western chorus frog at the Newport Chemical Depot, 105
- Western fox snake, 112
- Western harvest mouse  
 dispersal routes in Indiana, 170  
 distribution in  
 Illinois, 167, 170  
 Indiana, 167, 170  
 ectoparasites of, 170  
 primary habitat of, 168, 169  
 state species of special concern, 91, 97, 103, 167  
 status should be reevaluated, 170
- Western house finch, behavior during the breeding season, 190
- Western mosquitofish, 164
- Western ribbon snake, 112  
 state species of special concern, 107
- West Vernal Pool at Ginn Woods, 21  
 drainage of, 27  
*Quercus bicolor* at, 21  
 vegetation of, 28
- Whitaker, John O., Jr., 91, 105, 115, 167, 171
- White County  
 new county record for the western harvest mouse, 169  
 western harvest mouse in, 167
- White-crowned sparrow, role of plumage coloration in, 193, 194
- White-footed mouse at the Newport Chemical Depot, 100
- White oak, roost tree for the evening bat, 176
- White perch  
 habitat requirements, 67  
 history of its spread in the United States, 66-67  
 non-indigenous species expanding its range in the Lake Michigan drainage of Indiana, 61
- White-tailed deer at the Newport Chemical Depot, 102
- Willow Slough Fish and Wildlife Area  
 site of the first discovery of the western harvest mouse in Indiana, 167  
 uncut rye field, site of initial colonization, 169
- Windfalls in Ginn Woods, 11
- Wisconsinan glacial period, 21, 107, 124
- Woodchuck at the Newport Chemical Depot, 101
- Wood frog at the Newport Chemical Depot, 111
- Worm snake at the Newport Chemical Depot, 112
- Wrigley Field at Ginn Woods, 21  
*Catalpa speciosa* found only in, 27  
 vegetation of, 27
- Yellow bullhead  
 at the Newport Chemical Depot, 119, 121  
 in Buck Creek, 121  
 near the Newport Chemical Depot, 118
- Yellow perch, 62, 161
- Zapus hudsonius* at the Newport Chemical Depot, 101
- Zebra mussel  
 its effect on native freshwater mussels, 85  
 respiration rate of, 87
- Zenaidura macroura*, role of plumage coloration in, 194
- Zig-zag salamander, 112
- Zonotrichia leucophrys*, role of plumage coloration in, 193, 194  
*querula*, role of plumage coloration in, 193

NEWPORT CHEMICAL DEPOT

J.P. Veilleux, J.O. Whitaker, Jr., and E.A. Vincent. MAMMALS OF THE NEWPORT CHEMICAL DEPOT, VERMILLION COUNTY, INDIANA .....91

E.A. Vincent, J.O. Whitaker, Jr., and J.P. Veilleux. REPTILES AND AMPHIBIANS OF THE NEWPORT CHEMICAL DEPOT, VERMILLION COUNTY, INDIANA .....105

J.O. Whitaker, Jr., J.P. Veilleux, and E.A. Vincent. FISHES OF THE NEWPORT CHEMICAL DEPOT, VERMILLION COUNTY, INDIANA .....115

PLANT SYSTEMATICS AND BIODIVERSITY

M.S. Alix and R.W. Scribailo. AQUATIC PLANT SPECIES DIVERSITY AND FLORISTIC QUALITY ASSESSMENT OF SAUGANY LAKE, INDIANA .....123

ZOOLOGY

K.A. Berkley and S.A. Johnson. RANGE EXPANSION OF THE BADGER (*TAXIDEA TAXUS*) IN INDIANA .....141

B.E. Fisher, S.P. Wentz, T.P. Simon, and A. Spacie. THE FISHES OF TIPPECANOE COUNTY, INDIANA .....151

B. Leibacher and J.O. Whitaker, Jr. DISTRIBUTION OF THE WESTERN HARVEST MOUSE, *REITHRODONTOMYS MEGALOTIS*, IN INDIANA .....167

D.W. Sparks, J.A. Laborda, and J.O. Whitaker, Jr. BATS OF THE INDIANAPOLIS INTERNATIONAL AIRPORT AS COMPARED TO A MORE RURAL COMMUNITY OF BATS AT PRAIRIE CREEK .....171

D.Watt, J. Fahey, E. Hackett, M. Maki, A. McCourt, H. Robinson, and J. Stafford. EFFECTS OF COLOR MANIPULATIONS ON CAPTIVE FLOCKS OF HOUSE FINCHES .....181

1999 YEAR-END FINANCIAL REPORT .....197

REVIEWERS .....199

INDEX .....201



# PROCEEDINGS OF THE INDIANA ACADEMY OF SCIENCE

Volume 107, 1-4 (1998)

## CONTENTS

### GINN WOODS

- K.S. Badger, D.G. Ruch, A. Schoultz, J.E. Taylor, and B.E. Jones.  
STRUCTURE AND COMPOSITION OF GINN WOODS,  
AN OLD-GROWTH FOREST IN EAST-CENTRAL  
INDIANA .....1
- D.G. Ruch, A. Schoultz, and K.S. Badger. THE FLORA AND  
VEGETATION OF GINN WOODS, BALL STATE  
UNIVERSITY, DELAWARE COUNTY, INDIANA .....17

### ECOLOGY

- T.P. Simon, P.B. Moy, and D.K. Barnes. NEW DISTRIBUTION  
RECORDS FOR EXOTIC AND NON-INDIGENOUS  
FISH SPECIES IN THE LAKE MICHIGAN DRAINAGE,  
INDIANA .....61

### GEOLOGY AND GEOGRAPHY

- J.B. Droste and A.S. Horowitz. THE RACCOON CREEK  
GROUP (PENNSYLVANIAN) IN THE SUBSURFACE  
OF THE ILLINOIS BASIN .....71

### INVERTEBRATE ZOOLOGY

- D.D. Edwards. THE FRESHWATER MUSSELS (BIVALVIA:  
UNIONIDAE) OF PIGEON CREEK, A SMALL  
SOUTHWESTERN INDIANA TRIBUTARY OF  
THE OHIO RIVER.....79
- M. Myers-Kinzie. THE EFFECT OF TEMPERATURE ON THE  
RESPIRATION OF THE FRESHWATER MUSSEL  
*LAMPSILIS SILIQUOIDEA* (BIVALVIA: UNIONIDAE) .....85