

List of Exirpated, Endangered, Threatened and Rare Vascular Plants in Indiana: An Update

JAMES R. ALDRICH, JOHN A. BACONE AND MICHAEL A. HOMOYA
Indiana Department of Natural Resources
Indianapolis, Indiana 46204

Introduction

The status of Indiana's rarest vascular plants was last revised in 1981 by Bacone *et al.* (3). Since that publication much additional field work has been undertaken and accordingly, our knowledge of Indiana's rarest plant species has greatly increased. The results of some of this extensive field work have been discussed by Homoya (9) and Homoya and Abrell (10) for southern Indiana and by Aldrich *et al.* (1) for northern Indiana. Wilhelm's (17) discussion on the special vegetation of the Indiana Dunes National Lakeshore has also provided us with a much clearer understanding of the status of rare, threatened and endangered plants in northwest Indiana.

Unfortunately, the number of species thought to be extinct in Indiana has more than tripled. Previous reports (2, 3) indicated that 26 species were extirpated in Indiana. The work that has been conducted to date leads us to believe that as many as 90 species may be extirpated. Without a doubt, the single factor most responsible for this extirpation has been and continues to be, the destruction of natural habitat.

Compilation and Selection Criteria

Lists of Bacone and Hedge (2), Bacone *et al.* (3), Barnes (4), Crankshaw (5) and Crovello (6) were consulted and provide the foundation for this report. New additions to this list include state records discovered since Deam (7) and a number of recommendations from field botanists.

An effort has been made to better define each of the state categories. *Extirpated* refers to species that have not been seen in Indiana for over 50 years and for which the site(s) where it occurred historically has been field surveyed. In only a couple of instances were species for which no extant sites are known listed as endangered. In these cases the historic sites for the species had not been adequately surveyed. *Endangered* refers to a species that is known from 1 to 5 extant sites. *Threatened* species are known from 6 to 10 sites and *Rare* species are known from 11 to 20 sites. A species was "dropped" from the previous list (2) if it is known from over 20 extant sites.

Nomenclature

Nomenclature, with a few exceptions, follows Gleason and Cronquist (8). These exceptions include the genera *Platanthera* and *Coeloglossum* and the species *Spiranthes magnicamporum* and *S. ochroleuca*, which follow Luer (12). *Carex atlantica* subsp. *atlantica*, *C.a.* subsp. *capillacea* and *C. echinata* follow Reznicek and Ball (13) and *Oxalis illinoensis* follows Schwegman (14). The following species follow Kartesz and Kartesz (11): *Acalypha deamii*, *Amelanchier humilis*, *Botrychium biternatum*, *Carex socialis*, *Cimicifuga rubifolia*, *Comptonia peregrina*, *Dryopteris celsa*, *Erysimum capitatum*, *Gentiana alba*, *Hemicarpha drummondii*, *Lycopodium porophyllum*, *Penstemon deamii*, *Potamogeton pusillus*, *Proboscidea louisianica*, *Ranunculus laxicaulis*, *Rudbeckia fulgida* var. *deamii*, *R.f.* var. *palustris*, *Sagittaria australis*, *Solidago deamii* and *Viburnum trilobum*.

Where we have nomenclatural differences for the taxa in Table 1 with Deam (7), and/or Swink and Wilhelm (15), we have included synonymy and an initial denoting

the source ("D" for Deam, and "S" for Swink and Wilhelm). Also in Table 1, species new to the Indiana flora that have been discovered since the revision by Bacone *et al.* (3) are noted by "**", and a "#" notes species under review for federal status (17).

TABLE 1. List of extirpated, endangered, threatened and rare vascular plants in Indiana.

Extirpated
<i>Aconitum uncinatum</i> L.
<i>Adlumia fungosa</i> (Ait.) Greene
<i>Anemone caroliniana</i> Walt.
<i>Arabis drummondii</i> Gray.
<i>Asclepias meadii</i> Torr.
<i>Asplenium x Kentuckiense</i> McCoy.
<i>Astragalus tennesseensis</i> Gray.
<i>Aureolaria grandiflora</i> (Benth.) Pennell var. <i>pulchra</i> Pennell (<i>Gerardia grandiflora pulchra</i> , S.)
<i>Berberis canadensis</i> Mill.
<i>Betula populifolia</i> Marsh.
<i>Botrychium multifidum</i> (Gmel.) Rupr. var. <i>intermedium</i> (D.C. Eat.) Farw. (<i>B. multifidum silaifolium</i> , D.)
<i>Botrychium simplex</i> E. Hitch.
<i>Bumelia lycioides</i> (L.) Pers.
<i>Cabomba caroliniana</i> Gray.
<i>Callirhoe triangulata</i> (Leavenw.) Gray.
<i>Carex cumulata</i> (Bailey) Mackenzie.
<i>Carex scabrata</i> Schw.
<i>Carex styloflexa</i> Buck.
<i>Ceanothus herbaceus</i> Raf. (<i>C. ovatus</i> , D., S.)
<i>Circaea alpina</i> L.
<i>Cirsium virginianum</i> (L.) Michx.
<i>Conyza canadensis</i> (L.) Cronq. var. <i>pusilla</i> (Nutt.) Cronq. (<i>Erigeron pusillus</i> , D.)
<i>Corallorhiza trifida</i> Chat. var. <i>verna</i> (Nutt.) Fern. (<i>C. trifida</i> , D.)
<i>Cuscuta cuspis</i> Engelm.
<i>Cyperus acuminatus</i> Torr. & Hook.
<i>Eriophorum spissum</i> Fern.
<i>Euphorbia serpens</i> HBK
<i>Festuca paradoxoa</i> Desv.
<i>Gentiana villosa</i> L.
<i>Glyceria grandis</i> S. Wats.
<i>Gymnopogon ambiguus</i> (Michx.) BSP.
<i>Halesia carolina</i> L.
<i>Hemicarpha drummondii</i> Nees. (F., D.)
<i>Hibiscus lasiocarpus</i> Cav.
<i>Hippuris vulgaris</i> L.
<i>Hypericum frondosum</i> Michx.
<i>Juncus militaris</i> Bigel.
<i>Juncus secundus</i> Beauv.
<i>Lactuca ludoviciana</i> (Nutt.) Riddell.
<i>Lechea stricta</i> Legett.
<i>Lemna perpusilla</i> Torr.
<i>Lemna valdiviana</i> Philippi (<i>L. cyclostoma</i> , D.)
<i>Lespedeza stuevei</i> Nutt.
<i>Ligusticum canadense</i> (L.) Britt.
Endangered
<i>Androsace occidentalis</i> Pursh.
<i>Arabis patens</i> Sulliv.
<i>Arabis missouriensis</i> Greene. var. <i>deamii</i> M. Hopkins
(A. <i>viridis deamii</i> , D.)
<i>Aralia hispida</i> Vent.
<i>Arenaria patula</i> Michx.

TABLE 1.—Continued

<i>Arethusa bulbosa</i> L.	<i>Crataegus kelloggii</i> Sarg.
* <i>Asplenium bradleyi</i> D.C. Eat.	<i>Crataegus prona</i> Ashe.
<i>Asplenium montanum</i> Willd.	<i>Crotonopsis elliptica</i> Willd.
* <i>Asplenium resiliens</i> Kunze.	<i>Cyperus dentatus</i> Torr.
<i>Asplenium ruta-muraria</i> L. (<i>A. cryptolepis</i> , D.)	<i>Cyperus pseudovegetus</i> Steud.
# <i>Aster furcatus</i> Burgess.	<i>Dentaria multifida</i> Muhl.
<i>Aster oblongifolius</i> Nutt. (includes <i>A. oblongifolius rigidulus</i> , D.)	<i>Dicliptera brachiata</i> (Pursh) Spreng. (<i>Diapodium brachiatum</i> , D.)
<i>Baptisia australis</i> (L.) R. Br.	* <i>Dryopteris celsa</i> (W.M. Palmer) Small.
* <i>Bartonia paniculata</i> (Michx.) Muhl.	<i>Dryopteris clintoniana</i> (D.C. Eat.) Dowell. (<i>D. cristata clintoniana</i> , D.)
# <i>Besseyea bullii</i> (Eat.) Rybd. (<i>Fulfenia bullii</i> , S., F.)	<i>Echinodorus cordifolius</i> (L.) Griseb.
<i>Bidens beckii</i> Torr. (<i>Megalodontes beckii</i> , D.)	<i>Eleocharis equisetoides</i> (Ell.) Torr.
<i>Botrychium biternatum</i> (Sav.) Underw. (<i>B. dissectum tenuifolium</i> , D.)	<i>Eleocharis geniculata</i> (L.) R. & S.
<i>Botrychium matricariifolium</i> A. Br.	<i>Eleocharis melanocarpa</i> Torr.
<i>Buchnera americana</i> L.	<i>Eleocharis microcarpa</i> Torr. (<i>E. microcarpa siliculmis</i> D.)
<i>Calla palustris</i> L.	<i>Eleocharis wolfii</i> Gray.
<i>Calycocarpum lyoni</i> (Pursh) Gray.	<i>Equisetum variegatum</i> Schleich.
<i>Carex alopecoidea</i> Tuckerm.	<i>Eriocaulon septangulare</i> With.
<i>Carex arctata</i> Boott.	<i>Eupatorium incarnatum</i> Walt.
<i>Carex atherodes</i> Spreng.	<i>Fimbristylis caroliniana</i> (Lam.) Fern. (<i>F. puberula</i> , D., <i>F. drummondii</i> , S.)
<i>Carex atlantica</i> L.H. Bailey subsp. <i>atlantica</i> (C. <i>incompta</i> , D.)	<i>Fuirena pumila</i> Torr.
<i>Carex atlantica</i> L.H. Bailey subsp. <i>capillacea</i> (L.H. Bailey) Reznicek (<i>C. howei</i> , D.)	<i>Gaura filipes</i> Spach.
<i>Carex bushii</i> Mackenzie.	<i>Gentiana alba</i> Muhl. (<i>G. flavidia</i> , D.)
<i>Carex chordorrhiza</i> L.	<i>Geranium bicknellii</i> Britt.
<i>Carex conoidea</i> Schk.	<i>Gerardia gattingeri</i> Small.
<i>Carex crasswei</i> Dewey.	<i>Gerardia skinneriana</i> Wood.
<i>Carex disperma</i> Dewey.	<i>Geum rivale</i> L.
<i>Carex echinata</i> Murray, Prod. Stirp. Gott. (<i>C. laricina</i> , D.)	<i>Gleditsia aquatica</i> Marsh.
<i>Carex flava</i> L.	<i>Glyceria acutiflora</i> Torr.
<i>Carex folliculata</i> L.	<i>Glyceria borealis</i> (Nash) Batchelder.
<i>Carex gigantea</i> Rudge.	* <i>Heliotropium tenellum</i> (Nutt.) Torr.
<i>Carex gravida</i> Bailey.	<i>Hexalectris spicata</i> (Walt.) Barnh.
<i>Carex leptopoda</i> Fern.	<i>Hottonia inflata</i> Ell.
<i>Carex limosa</i> L.	<i>Hydrocotyle americana</i> L.
<i>Carex nigromarginata</i> Schw.	<i>Hypericum adpressum</i> Bart.
<i>Carex pseudo-cyperus</i> L.	<i>Hypericum denticulatum</i> Walt.
<i>Carex retrorsa</i> Schw.	<i>Iliamna remota</i> Greene.
<i>Carex richardsonii</i> R. Br.	<i>Isoetes engelmanni</i> A. Br.
<i>Carya pallida</i> (Ashe) Engl. & Graebn.	* <i>Isoetes melanopoda</i> Gay and Durieu.
<i>Carya texana</i> Buckl. (<i>C. buckleyi arkansana</i> , D.)	* <i>Itea virginica</i> L.
<i>Chaerophyllum procumbens</i> (L.) Crantz var. <i>shortii</i> T. & G.	<i>Juncus scirpoideus</i> Lam.
<i>Chamaelirium luteum</i> (L.) Gray.	<i>Lathyrus maritimus</i> (L.) Bigel var. <i>glaber</i> (Ser.) Eames. (<i>L. japonicus glaber</i> , D.)
<i>Cheilanthes lanosa</i> (Michx.) D.C. Eat.	<i>Leavenworthia uniflora</i> (Michx.) Britt.
<i>Chrysopodium americanum</i> Schw.	<i>Lechea racemulosa</i> Michx.
# <i>Cimicifuga rubrifolia</i> Kearney.	<i>Lemna minima</i> Philippi
<i>Clintonia borealis</i> (Ait.) Raf.	<i>Leptochloa panicoides</i> (Presl) Hitchc.
<i>Clitioria mariana</i> L.	# <i>Lesquerella globosa</i> (Desv.) Wats.
<i>Conioselinum chinense</i> (L.) BSP.	<i>Liatris pycnostachya</i> Michx. (<i>L. bebbiana</i> , D.)
<i>Cornus amomum</i> Mill.	<i>Linum intercursum</i> Bickn.
<i>Cornus canadensis</i> L.	<i>Lithospermum incisum</i> Lehm.
<i>Corydalis sempervirens</i> (L.) Pers.	<i>Ludwigia sphaerocarpa</i> Ell. (<i>L. sphaerocarpa</i> deamii), D.)
<i>Crataegus arborea</i> Beadle (<i>C. pyracanthoides</i> var. <i>arborea</i> , D.)	<i>Luzula acuminata</i> Raf. (<i>L. caroliniana saltuensis</i> , D.)
<i>Crataegus biltmoreana</i> Beadle	<i>Lycopodium appressum</i> (Chapman) Lloyd & Underwood
<i>Crataegus chrysocarpa</i> Ashe (<i>C. putnamiana</i> , D.)	* <i>Lycopodium dendroideum</i> Michx.
<i>Crataegus grandis</i> Ashe.	

TABLE 1.—Continued

<i>Lycopodium inundatum</i> L.	<i>Ranunculus laxicaulis</i> (Torr. and Gray) Darby. (<i>R. oblongifolius</i> , D.)
<i>Lycopodium tristachyum</i> Pursh.	<i>Ranunculus pusillus</i> Poir.
<i>Lycopus amplexens</i> Raf. (<i>L. sessilifolius</i> D.)	<i>Rhexia mariana</i> L. (<i>R. m. leiosperma</i> , D.)
<i>Magnolia acuminata</i> L.	<i>Rhynchospora corniculata</i> (Lam.) Gray. var. <i>interior</i> Fern.
<i>Magnolia tripetala</i> L.	<i>Rhynchospora globularis</i> (Chapm.) Small. var. <i>recognita</i> Gale. (<i>R. cymosa</i> , D.)
<i>Malaxis unifolia</i> Michx.	<i>Rubus alumnus</i> Bailey (<i>R. impos</i> , D.)
<i>Melanthium virginicum</i> L.	<i>Rubus enslenii</i> Tratt.
<i>Mikania scandens</i> (L.) Willd.	<i>Rubus impar</i> Bailey
<i>Monarda bradburiana</i> Beck.	<i>Rubus laudatus</i> Berger.
<i>Muhlenbergia cuspidata</i> (Torr.) Rydb.	<i>Rudbeckia fulgida</i> Ait. var. <i>Deamii</i> (Blake) Perdue (<i>R. deamii</i> , D.)
<i>Myosotis laxa</i> Lehm.	<i>Sanguisorba canadensis</i> L.
<i>Myosotis macrosperma</i> Engelm. (<i>M. virginica</i> macrosperrna, D.)	<i>Satureja glabella</i> (Michx.) Briquet var. <i>angustifolia</i> (Torr.) Svenson. (<i>S. glabra</i> , D., <i>S. arkansana</i> , S.)
<i>Najas gracillima</i> (A. Br.) Magnus.	<i>Saxifraga forbesii</i> Vasey
<i>Ophioglossum engelmannii</i> Prantl.	<i>Scheuchzeria palustris</i> L. var. <i>americana</i> Fern.
<i>Orobanche fasciculata</i> Nutt. (<i>O. f. typica</i> , D.)	<i>Schizachne purpurascens</i> (Torr.) Swallen.
<i>Oryzopsis asperifolia</i> Michx.	<i>Scirpus torreyi</i> Olney.
<i>Oryzopsis racemosa</i> (Smith) Ricker.	<i>Scleria oligantha</i> Michx.
<i>Oxydendrum arboreum</i> (L.) DC.	<i>Scleria pauciflora</i> Muhl. (<i>S. p. caroliniana</i> , D.)
<i>Panicum bicknellii</i> Nash.	<i>Scleria reticularis</i> Michx.
<i>Panicum dichotomiflorum</i> Michx. var. <i>puritanorum</i> Svenson.	<i>#Sida hermaphrodita</i> (L.) Rusby
<i>Panicum leibergii</i> (Vasey) Scribn.	<i>Silene regia</i> Sims.
<i>Panicum mattamuskeetense</i> Ashe.	<i>Sisyrinchium angustifolium</i> Mill. (<i>S. montanum</i> , S.)
* <i>Panicum scorpiarium</i> Lam.	<i>Solidago deamii</i> Fern.
<i>Panicum subvillosum</i> Ashe.	<i>Solidago hispida</i> Muhl.
<i>Panicum verrucosum</i> Muhl.	<i>Solidago squarrosa</i> Muhl.
<i>Penstemon deamii</i> Pennell.	<i>Sparganium androcladum</i> (Engelm.) Morong.
<i>Perideridia americana</i> (Nutt.) Reichenb.	<i>Spigelia marilandica</i> L.
<i>Phacelia ranunculacea</i> (Nutt.) Const. (<i>P.</i> <i>covillei</i> , D.)	<i>Spiranthes magnicamporum</i> Sheviak.
# <i>Phlox bifida</i> Beck ssp. <i>stellaria</i> (Gray) Wherry.	<i>Spiranthes ochroleuca</i> (Rydberg) Rydberg.
# <i>Plantago cordata</i> Lam.	<i>Stenanthium gramineum</i> (Ker) Morong. (includes <i>S. robustum</i> , D.)
<i>Platanthera ciliaris</i> (L.) Lindley (<i>Habenaria</i> <i>ciliaris</i> , D.)	<i>Stipa avenacea</i> L.
<i>Platanthera dilatata</i> (Pursh) Lindley ex Beck. (<i>Habenaria dilatata</i> , D.)	<i>Sullivantia sullivantii</i> (T. and G.) Britt.
<i>Platanthera flava</i> (L.) Lindley var. <i>flava</i> (<i>Habenaria scutellata</i> , D.)	# <i>Talinum rugospermum</i> Holz.
<i>Platanthera hookeri</i> (Torrey) Lindley (<i>Habenaria</i> <i>hookeri</i> , D.)	<i>Thuja occidentalis</i> L.
<i>Poa wolfii</i> Scribn.	<i>Tragia cordata</i> Michx.
<i>Polygala paucifolia</i> Willd.	<i>Trichomanes boschianum</i> Sturm.
<i>Polygonum careyi</i> Olney.	<i>Utricularia minor</i> L.
<i>Polygonum cilinode</i> Michx.	<i>Utricularia radiata</i> Small. (<i>U. inflata minor</i> , S., F.)
<i>Polygonum hydropiperoides</i> Michx. var. <i>setaceum</i> (Baldw.) Gl. (<i>P. setaceum interjectum</i> , D.)	* <i>Utricularia subulata</i> L.
<i>Polytaenia nuttallii</i> DC.	<i>Vaccinium myrtilloides</i> Michx. (<i>V. canadense</i> , D.)
<i>Populus balsamifera</i> L. (<i>P. tacamahaca</i> , D.)	<i>Valeriana edulis</i> Nutt.
<i>Potamogeton ephedrus</i> Raf.	<i>Valeriana uliginosa</i> (T. ang G.) Rydb.
<i>Potamogeton friesii</i> Rupr.	<i>Valerianella chenopodiifolia</i> (Pursh.) DC.
* <i>Potamogeton oakesianus</i> Robbins	<i>Viburnum cassinoides</i> L.
<i>Potamogeton pulcher</i> Tuckerm.	<i>Viburnum trilobum</i> Marsh.
<i>Potamogeton richardsonii</i> (Benn.) Rydb.	* <i>Viola egglestonii</i> Brainerd.
<i>Potamogeton robbinsii</i> Oakes.	<i>Viola primulifolia</i> Vahl.
<i>Potamogeton strictifolius</i> Benn. (<i>P. strictifolius</i> vars. <i>typicus</i> and <i>rutiloides</i> , D.)	<i>Wisteria macrostachya</i> Nutt.
<i>Potentilla anserina</i> L.	<i>Wolfiella floridana</i> (Smith) Thompson.
<i>Psoralea tenuiflora</i> Pursh.	* <i>Woodwardia areolata</i> (L.) Moore.
<i>Pyrola asarifolia</i> Michx. (<i>P. a. incarnata</i> , D.)	<i>Zannichellia palustris</i> L. (<i>Z. p. major</i> , D.)
<i>Quercus prinoides</i> Willd.	

TABLE 1.—Continued

Threatened	
<i>Acalypha deamii</i> (Weatherby) Ahles (<i>A. rhomboidea</i> var. <i>deamii</i> , D.)	<i>Hudsonia tomentosa</i> Nutt. (<i>H. tomentosa intermedia</i> , D.)
<i>Actaea rubra</i> (Ait.) Willd.	<i>Hypericum dolabriiforme</i> Vent.
<i>Amelanchier humilis</i> Wieg.	<i>Hypericum pyramidatum</i> Ait. (<i>H. ascyron</i> , D.)
<i>Andromeda glaucophylla</i> Link.	<i>Iresine rhizomatosa</i> Standl.
<i>Arabis glabra</i> (L.) Bernh.	<i>Istria verticillata</i> (Willd.) Raf.
<i>Arenaria stricta</i> Michx.	<i>Juncus pelocarpus</i> E. Meyer.
<i>Aristida intermedia</i> Scribn. and Ball.	<i>Lathyrus ochroleucus</i> Hook.
<i>Aristida tuberculosa</i> Nutt.	<i>Lilium canadense</i> L.
<i>Aster ptarmicoides</i> (Nees) T. and G.	<i>Lilium superbum</i> L.
<i>Aster solidagineus</i> Michx. (<i>Sericocarpus linifolius</i> , D.)	<i>Linum sulcatum</i> Riddell.
<i>Azolla caroliniana</i> Willd.	<i>Lycopodium clavatum</i> L.
<i>Bacopa rotundifolia</i> (Michx.) Wetst. (<i>Hydranthelium rotundifolium</i> , D.)	<i>Lycopodium obscurum</i> L.
<i>Botrychium oneidense</i> (Gilbert) House.	<i>Matteuccia struthiopteris</i> (L.) Todaro (<i>Pteretis nodulosa</i> , D.)
<i>Cakile edentula</i> (Bigel.) Hook. var. <i>lacustris</i> Fern.	<i>Melampyrum lineare</i> Desr. (<i>M. lineare latifolium</i> and <i>M. lineare pectinatum</i> , D.)
<i>Carex abscondita</i> Mackenzie.	<i>Milium effusum</i> L.
<i>Carex aurea</i> Nutt.	<i>Myriophyllum verticillatum</i> L. (<i>M. v. pectinatum</i> , D.)
<i>Carex bebbii</i> Oney.	<i>Napaea dioica</i> L.
<i>Carex debilis</i> Michx. var. <i>rudgei</i> Bailey.	<i>Nothoscordum bivalve</i> (L.) Britt.
<i>Carex decomposita</i> Muhl.	<i>Panicum yadkinense</i> Ashe.
<i>Carex eburnea</i> Boott.	<i>Passiflora incarnata</i> L.
<i>Carex garberi</i> Fern.	<i>Penstemon canescens</i> (Britt.) Britt. (<i>P. canescens typicus</i> , D.)
<i>Carex pedunculata</i> Muhl.	<i>Phlox amplifolia</i> Britt.
<i>Carex seorsa</i> Howe.	<i>Phoradendron flavescens</i> (Pursh) Nutt.
* <i>Carex socialis</i> Mohlenbrock and Schwegm.	<i>Platanthera hyperborea</i> (L.) Lindley (<i>Habenaria hyperborea</i> , D.)
<i>Carex sparganioides</i> Muhl. var. <i>cephaloidea</i> (Dewey) (<i>C. cephaloidea</i> , D.)	<i>Poa alsodes</i> Gray.
<i>Carex trichocarpa</i> Muhl.	# <i>Poa paludigena</i> Fern. and Wieg.
<i>Carex woodii</i> Dewey.	<i>Polygonella articulata</i> (L.) Meissn.
<i>Chimaphila umbellata</i> (L.) Bart. var. <i>cisatlantica</i> Blake.	* <i>Polygonum opolousanum</i> Riddell ex Smal var. <i>adenocalyx</i> Stanford.
<i>Chrysopsis villosa</i> (Pursh) Nutt.	<i>Potamogeton praelongus</i> Wulff.
# <i>Cirsium hillii</i> (Canby) Fern.	<i>Psilocarya scirpoidea</i> Torr.
# <i>Cirsium pitcheri</i> (Torr.) T. and G.	# <i>Rhus trilobata</i> Nutt. var. <i>arenaria</i> (Greene) Barkley.
<i>Cladastis lutea</i> (Michx. f.) K. Koch.	<i>Rubus centralis</i> Bailey
<i>Coeloglossum viride</i> (L.) Hartman var. <i>virescens</i> (Muhlenberg) Luer. (<i>Habenaria viridis</i> , D.)	<i>Rubus odoratus</i> L.
<i>Cornus rugosa</i> Lam.	<i>Rudbeckia fulgida</i> Ait. var. <i>fulgida</i> (<i>R. fulgida</i> , D.)
<i>Crataegus pedicellata</i> Sarg.	<i>Salix cordata</i> Michx. (<i>S. adenophylla</i> , D., S. <i>syrticola</i> , S.)
<i>Crataegus viridis</i> L.	<i>Salix serissima</i> (Bailey) Fern.
<i>Dentaria diphylla</i> Michx.	<i>Saxifraga virginensis</i> Michx.
<i>Deschampsia cespitosa</i> (L.) Beauv.	<i>Scirpus subterminalis</i> Torr.
<i>Didiplis diandra</i> (Nutt.) Wood.	<i>Sedum telephioides</i> Michx.
# <i>Dodecatheon frenchii</i> (Vasey) Rydb.	<i>Selaginella rupestris</i> (L.) Spring.
<i>Eleocharis robbinsii</i> Oakes.	<i>Solidago spathulata</i> DC. var. <i>gillmanii</i> (Gray) Cronq. (<i>S. racemosa gillmanii</i> S., D., F.)
<i>Eriophorum angustifolium</i> Honckeney.	<i>Spiranthes lucida</i> (H.H. Eaton) Ames.
<i>Eriophorum gracile</i> Koch.	<i>Spiranthes ovalis</i> Lindl.
<i>Erysimum capitatum</i> (Dougl.) Greene (<i>E. asperum</i> , D.)	<i>Spiranthes tuberosa</i> Raf. (<i>S. beckii</i> , D.)
<i>Euphorbia polygonifolia</i> L.	<i>Strophostyles leiosperma</i> (T. & G.) Piper.
<i>Galactia volubilis</i> (L.) Britt. var. <i>mississippiensis</i> Vail.	<i>Syrrax americana</i> Lam.
<i>Gentiana puberula</i> Michx.	<i>Taxodium distichum</i> (L.) Rich.
<i>Geranium robertianum</i> L.	<i>Thalictrum polygamum</i> Muhl.
<i>Gnaphalium viscosum</i> HBK. (<i>G. macounii</i> , D.)	
<i>Gonolobus obliquus</i> (Jacq.) Schult.	
<i>Heuchera parviflora</i> Bartl. var. <i>rugelii</i> (Shuttlew.) R. B. & L.	

TABLE 1.—Continued

<i>Trachelospermum difforme</i> (Walt.) Gray.	<i>Viola pedatifida</i> G. Don.
<i>Triglochin palustre</i> L.	<i>Vitis palmata</i> Vahl.
<i>Utricularia cornuta</i> Michx.	<i>Waldsteinia fragarioides</i> (Michx.) Tratt.
<i>Vaccinium oxycoccos</i> L.	<i>Xyris caroliniana</i> Walt.
<i>Viburnum molle</i> Michx.	<i>Zizia aptera</i> (Gray) Fern.
<i>Viola blanda</i> Wild.	
Rare	
<i>Aesculus octandra</i> Marsh.	<i>Linum striatum</i> Walt.
<i>Antennaria solitaria</i> Rydb.	<i>Lycopodium porophyllum</i> Lloyd and Underw. (<i>L. selago</i> patens, D.)
<i>Arctostaphylos uva-ursi</i> (L.) Spreng.	<i>Melica mutica</i> Walt.
<i>Aristolochia tomentosa</i> Sims.	<i>Nemopanthus mucronatus</i> (L.) Trel.
<i>Asclepias variegata</i> L.	<i>Oenothera perennis</i> L.
<i>Aster junciformis</i> Rydb. (<i>A. juncea</i> , D.)	<i>Orobanche luteoviridis</i> Nutt.
<i>Aster sericeus</i> Vent.	* <i>Oxalis illinoensis</i> Schwegman.
<i>Aster undulatus</i> L.	<i>Panax trifolium</i> L.
<i>Baptisia leucophaea</i> Nutt.	<i>Panicum boreale</i> Nash.
<i>Baptisia tinctoria</i> (L.) R. Br. (<i>B. tinctoria crebra</i> , D.)	<i>Pinus banksiana</i> Lamb.
<i>Betula papyrifera</i> Marsh.	<i>Platanthera clavellata</i> (Michx.) Leur. (<i>Habenaria clavellata</i> , D.)
<i>Carex alata</i> Torr. and Gray.	<i>Platanthera flava</i> (L.) Lindley var. <i>herbiola</i> (R. Brown) Luer. (<i>H. flava</i> , D.)
<i>Carex louisianica</i> Bailey.	<i>Platanthera psycodes</i> (L.) Lindley. (<i>Habenaria psycodes</i> , D.)
<i>Catalpa speciosa</i> Warden.	<i>Polygonia ophioglossoides</i> (L.) Ker.
<i>Chelone obliqua</i> L. var. <i>speciosa</i> Pennell and Wherry.	<i>Potamogeton pusillus</i> L. (<i>P. pusillus mucronatus</i> , <i>P. panormitanus</i> vars. <i>major</i> and <i>minor</i> , D.)
<i>Clematis pitcheri</i> T. and G.	<i>Prenanthes aspera</i> Michx.
<i>Cocculus carolinus</i> (L.) DC.	<i>Proboscidea louisianica</i> (P. Mill.) Thellung (<i>Martynia louisianica</i> , D.)
<i>Comptonia peregrina</i> (L.) Coulter.	<i>Prunus pensylvanica</i> L.f.
<i>Crataegus intricata</i> Lange (includes <i>C. rubella</i> of Deam)	<i>Pyrola elliptica</i> Nutt.
<i>Crataegus succulenta</i> Schrad. ex Link.	<i>Pyrola rotundifolia</i> L. var. <i>americana</i> (Sweet) Fern.
<i>Cypripedium calceolus</i> L. var. <i>parviflorum</i> (Salisb.) Fern. (<i>C. parviflorum</i> , D.)	<i>Rhamnus lanceolata</i> Pursh.
<i>Cypripedium candidum</i> Muhl.	<i>Rhynchospora macrostachya</i> Torr.
<i>Dennstaedtia punctilobula</i> (Michx.) Moore	<i>Ribes hirtellum</i> Michx. (<i>Grossularia hirtella</i> , D.)
<i>Desmodium laevigatum</i> (Nutt.) DC.	<i>Rubus deamii</i> Bailey.
<i>Desmodium viridiflorum</i> (L.) DC.	<i>Salix caroliniana</i> Michx. (<i>S. longipes wardii</i> , D.)
<i>Diervilla lonicera</i> Mill.	<i>Scirpus smithii</i> Gray.
<i>Drosera intermedia</i> Hayne.	<i>Scutellaria parvula</i> Michx. var. <i>australis</i> Fassett. (<i>S. australis</i> , D.)
<i>Eleocharis pauciflora</i> (Lightf.) Link. (<i>E. pauciflora fernaldii</i> , D.)	# <i>Synandra hispidula</i> (Michx.) Britt.
<i>Epigaea repens</i> L.	<i>Taxus canadensis</i> Marsh.
<i>Eriophorum viridi-carinatum</i> (Engelm.) Fern.	<i>Tofieldia glutinosa</i> (Michx.) Pers.
<i>Gonolobus gonocephalus</i> (Walt.) Perry.	<i>Triadenium tubulosum</i> (Walt.) Gleason (<i>Hypericum tubulosum</i> , D.)
<i>Heuchera villosa</i> Michx. (<i>H. villosa macrorhiza</i> , D.)	<i>Triadenium walteri</i> (J.G. Gmel.) Gleason (<i>Hypericum tubulosum walteri</i> , D.)
<i>Hieracium venosum</i> L.	<i>Trichostema dichotomum</i> L.
<i>Houstonia nigricans</i> (Lam.) Fern. (<i>H. angustifolia</i> , D.)	<i>Utricularia purpurea</i> Walt.
<i>Hymenocallis occidentalis</i> (Leconte) Kunth.	<i>Veronica glandifera</i> Pennell.
<i>Hypericum kalmianum</i> L.	<i>Zigadenus glaucus</i> Nutt.
<i>Juniperus communis</i> L.	
<i>Kalmia latifolia</i> L.	
<i>Krigia oppositifolia</i> Raf. (<i>Serinia oppositifolia</i> , D.)	
<i>Lathyrus venosus</i> Muhl.	
<i>Lespedeza x nuttallii</i> Darl.	
<i>Liatris squarrosa</i> (L.) Michx.	

Acknowledgments

The authors wish to thank Jerrie Leeds Worthy for typing this manuscript. We are also grateful to Floyd Swink for reviewing the paper.

Literature Cited

1. Aldrich, J.R., L.A. Casebere, M. Homoya and H. Starcs. 1985. The discovery of native rare vascular plants in northern Indiana. Proc. Ind. Acad. Sci. 95: (in press).
2. Bacone, J.A. and C.L. Hedge. 1980. A preliminary list of endangered and threatened vascular plants in Indiana. Proc. Ind. Acad. Sci. 89:359-371.
3. Bacone, J.A., T.J. Crovello, and C.L. Hedge. 1981. The status of Indiana's rare plants: A revision of the list of the endangered and threatened vascular plants. Proc. Ind. Acad. Sci. 90:385-397.
4. Barnes, W.B. 1976. Rare and endangered plants in Indiana. Ind. Dept. Nat. Res., Div. of Nature Preserves. 12p.
5. Crankshaw, W.B. 1977. Indiana flora: categorized by degree of risk to species. Ball State Univ., Muncie, Ind. Unpubl. manu. 9p.
6. Crovello, T.J. 1977. Rare plant species of Indiana. Ind. Acad. of Sci., Biol. Surv. Comm. 12p.
7. Deam, C.C. 1940. Flora of Indiana. Dept. Cons., Div. of Forestry, Indianapolis. 1,236p.
8. Gleason, H.A. and A. Cronquist. 1963. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. D. Van Nostrand Co., Princeton, N.J. 810p.
9. Homoya, M.A. 1982. Additions to the flora of southern Indiana. Proc. Ind. Acad. Sci. 92:379-382.
10. Homoya, M.A. and D.B. Abrell. 1985. Recent additions to the flora of southern Indiana. Proc. Inc. Acad. Sci. 95: (in press).
11. Kartesz, J.T. and R. Kartesz. 1980. A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Greenland. The University of North Carolina Press, Chapel Hill, N.C. 498p.
12. Luer, C.A. 1975. The Native Orchids of the United States and Canada Excluding Florida. The New York Botanical Garden, New York. 361p.
13. Reznicek, A.A. and P.W. Ball. 1980. The taxonomy of *Carex* section *Stellulatae* in North American north of Mexico. Contributions from the University of Michigan Herbarium—Volume 14:153-203.
14. Schwegman J.E. 1982. A new species of *Oxalis*. Phytologia, 50:463-467.
15. Swink, F. and G. Wilhelm. 1979. Plants of the Chicago Region, 3rd Edition. The Morton Arboretum, Lisle, Illinois. 922p.
16. United States Fish and Wildlife Service. Sept. 27, 1985. Great Lakes Region "Red Book" for threatened and endangered species. Federal Register.
17. Wilhelm, G.S. 1980. Report on the special vegetation of the Indiana Dunes National Lakeshore. Indiana Dunes National Lakeshore Research Program. Report 80-01. 262p.

